


Author's Accepted Manuscript

QUANTIFYING WEAR DEPTH IN HIP PROSTHESES USING A 3D OPTICAL SCANNER

Katherine A. Hollar, Daniel S. Ferguson, John B. Everingham, Jillian L. Helms, Kevin J. Warburton, Trevor J. Lujan



www.elsevier.com/locate/wear

PII: S0043-1648(17)30367-8
DOI: <https://doi.org/10.1016/j.wear.2017.10.008>
Reference: WEA102272

To appear in: *Wear*

Received date: 28 April 2017
Revised date: 7 October 2017
Accepted date: 7 October 2017

Cite this article as: Katherine A. Hollar, Daniel S. Ferguson, John B. Everingham, Jillian L. Helms, Kevin J. Warburton and Trevor J. Lujan, QUANTIFYING WEAR DEPTH IN HIP PROSTHESES USING A 3D OPTICAL SCANNER, *Wear*, <https://doi.org/10.1016/j.wear.2017.10.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**QUANTIFYING WEAR DEPTH IN HIP PROSTHESES
USING A 3D OPTICAL SCANNER**

Katherine A. Hollar^a, Daniel S. Ferguson^b, John B. Everingham^a, Jillian L. Helms^a,
Kevin J. Warburton^a, Trevor J. Lujan^a, Ph.D.

1	^a Boise State University	^b Global Inspection Solutions, LLC
2	1910 University Drive	6635 North Baltimore Avenue
3	Boise, ID 83725-2085	Portland, Oregon 97203
4	United States	United States
5		

For submission to Wear

Corresponding Author:

Trevor J. Lujan, PhD.

1910 University Drive

Boise, ID 83725-2085

trevorlujan@boisestate.edu

Phone: (+1) 208-426-2857

Fax: (+1) 208-392-1589

Download English Version:

<https://daneshyari.com/en/article/7004085>

Download Persian Version:

<https://daneshyari.com/article/7004085>

[Daneshyari.com](https://daneshyari.com)