## **Accepted Manuscript**

Title: Precipitated calcium carbonate modified by the layer-by-layer deposition method - its potential as papermaking filler

Author: A.F. Lourenço J.A.F. Gamelas P.J. Ferreira

PII: S0263-8762(15)00400-1

DOI: http://dx.doi.org/doi:10.1016/j.cherd.2015.10.026

Reference: CHERD 2059

To appear in:


Received date: 17-2-2015 Revised date: 23-9-2015 Accepted date: 15-10-2015

Please cite this article as: Lourenço, A.F., Gamelas, J.A.F., Ferreira, P.J., Precipitated calcium carbonate modified by the layer-by-layer deposition method - its potential as papermaking filler, *Chemical Engineering Research and Design* (2015), http://dx.doi.org/10.1016/j.cherd.2015.10.026


This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Graphical Abstract (for review)** PCC (CaCO<sub>3</sub>)Sodium Alginate Poly(diallyldimethyl ammonium chloride)



## **Handsheets Tensile Strength**



## Download English Version:

## https://daneshyari.com/en/article/7007065

Download Persian Version:

https://daneshyari.com/article/7007065

Daneshyari.com