

A CFD study on the effect of membrane permeance on permeate flux enhancement generated by unsteady slip velocity

S.Y. Lim, Y.Y. Liang, G.A. Fimbres Weihs, D.E. Wiley, D.F. Fletcher



PII: S0376-7388(18)30185-6  
DOI: <https://doi.org/10.1016/j.memsci.2018.03.070>  
Reference: MEMSCI16064

To appear in: *Journal of Membrane Science*

Received date: 23 January 2018  
Revised date: 20 March 2018  
Accepted date: 24 March 2018

Cite this article as: S.Y. Lim, Y.Y. Liang, G.A. Fimbres Weihs, D.E. Wiley and D.F. Fletcher, A CFD study on the effect of membrane permeance on permeate flux enhancement generated by unsteady slip velocity, *Journal of Membrane Science*, <https://doi.org/10.1016/j.memsci.2018.03.070>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**A CFD study on the effect of membrane permeance on permeate flux enhancement generated by unsteady slip velocity**

*S. Y. Lim<sup>a</sup>, Y. Y. Liang<sup>a,b,\*</sup>, G. A. Fimbres Weihs<sup>c</sup>, D. E. Wiley<sup>d</sup>, D. F. Fletcher<sup>d</sup>*

<sup>a</sup>Faculty of Chemical and Natural Resources Engineering, Universiti Malaysia Pahang  
Lebuhraya Tun Razak, 26300 Gambang, Kuantan, Pahang, Malaysia

<sup>b</sup>Centre of Excellence for Advanced Research in Fluid Flow (CARIFF), Universiti Malaysia  
Pahang, Lebuhraya Tun Razak, 26300 Gambang, Kuantan, Pahang, Malaysia

<sup>c</sup>CONACyT–Instituto Tecnológico de Sonora, Departamento de Ciencias del Agua y Medio  
Ambiente, Cd. Obregón, Sonora, C.P. 85130, México

<sup>d</sup>The University of Sydney, School of Chemical and Biomolecular Engineering, NSW 2006,  
Australia

\*Corresponding author. Tel.: +609 549 2859. yongyeow.liang@ump.edu.my

**Abstract**

One of the most noteworthy achievements in reverse osmosis (RO) efficiency is the improvement in membrane permeance. Although current membranes offer higher permeance (and flux) than older RO membranes, increases in permeate flux are limited by concentration polarisation (CP) and fouling. Therefore, innovation is needed to reduce CP to further increase permeate flux. An unsteady forced slip velocity can disrupt the boundary layer, thus reducing CP. This paper uses Computational Fluid Dynamics (CFD) to analyse the effect of membrane permeance on the resonant frequency for an unsteady forced slip velocity, as well as the resulting mass transfer enhancement. The results show that the resonant frequency of the unsteady forced slip velocity is not affected by the membrane permeance. Although the results show a peak in the mass transfer enhancement factor for permeance values in the range typically used for brackish water, the permeate flux can also be improved for higher membrane permeances (up to 23 %) at the expense of a slightly higher pumping energy (5-7 %).

**Keywords:** CFD, Forced Slip Velocity, Permeance, Permeate Flux Enhancement, Concentration Polarisation

Download English Version:

<https://daneshyari.com/en/article/7019864>

Download Persian Version:

<https://daneshyari.com/article/7019864>

[Daneshyari.com](https://daneshyari.com)