

## Author's Accepted Manuscript

Reaching the limiting current regime by linear sweep voltammetry in ion-exchange membrane systems

A.A. Moya, P. Sístat



[www.elsevier.com/locate/memsci](http://www.elsevier.com/locate/memsci)

PII: S0376-7388(17)33528-7  
DOI: <https://doi.org/10.1016/j.memsci.2018.03.043>  
Reference: MEMSCI16037

To appear in: *Journal of Membrane Science*

Received date: 17 December 2017  
Revised date: 15 February 2018  
Accepted date: 18 March 2018

Cite this article as: A.A. Moya and P. Sístat, Reaching the limiting current regime by linear sweep voltammetry in ion-exchange membrane systems, *Journal of Membrane Science*, <https://doi.org/10.1016/j.memsci.2018.03.043>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Reaching the limiting current regime by linear sweep voltammetry in ion-exchange  
membrane systems**

A.A. Moya<sup>1,\*</sup> and P. Sibat<sup>2</sup>

<sup>1</sup> Departamento de Física, Universidad de Jaén, Campus de Las Lagunillas s/n, 23071 - Jaén, Spain.

<sup>2</sup> Institute Européen des Membranes, ENSCM, UM2-CNRS, (UMR 5635), Université de Montpellier 2, CC047, Place E. Bataillon, 34293 Montpellier Cédex 5, France.

\* Corresponding autor. E-mail: aamoya@ujaen.es

Feb 2018

**ABSTRACT**

The transient current overshoot and the evolution of the ionic concentrations and the electric potential to the limiting current regime by linear sweep voltammetry have been numerically investigated in ion-exchange membrane systems. The system under study is constituted by a cation-exchange membrane and two diffusion boundary layers on both sides of the membrane, which include the electric double layers at the interfaces, ionic transport of a binary electrolyte being described by the Nernst-Planck and Poisson equations. The time evolution of the electric current through the system in response to an electric potential increasing linearly with time, has been numerically simulated for different sweep rates of the perturbing signal by using the network simulation method. The effect of the sweep rate on the current-voltage curves has been analysed and discussed for systems with different values of the thickness of the diffusion boundary layers and the membrane resistance. The dependence of the peak current and the peak potential with the sweep rate has been

Download English Version:

<https://daneshyari.com/en/article/7019907>

Download Persian Version:

<https://daneshyari.com/article/7019907>

[Daneshyari.com](https://daneshyari.com)