

Commercial perfluorosulfonic acid membranes for vanadium redox flow battery: effect of ion-exchange capacity and membrane internal structure

Jiří Vrána, Jiří Charvát, Petr Mazúr, Petr Bělský, Jan Dundálek, Jaromír Pociďák, Juraj Kosek



PII: S0376-7388(17)32741-2
DOI: <https://doi.org/10.1016/j.memsci.2018.02.011>
Reference: MEMSCI15935

To appear in: *Journal of Membrane Science*

Received date: 22 September 2017
Revised date: 6 February 2018
Accepted date: 8 February 2018

Cite this article as: Jiří Vrána, Jiří Charvát, Petr Mazúr, Petr Bělský, Jan Dundálek, Jaromír Pociďák and Juraj Kosek, Commercial perfluorosulfonic acid membranes for vanadium redox flow battery: effect of ion-exchange capacity and membrane internal structure, *Journal of Membrane Science*, <https://doi.org/10.1016/j.memsci.2018.02.011>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Commercial perfluorosulfonic acid membranes for vanadium redox flow battery: effect of ion-exchange capacity and membrane internal structure

Jiří Vrána^a, Jiří Charvát^a, Petr Mazúr^b, Petr Bělský^b, Jan Dundálek^a, Jaromír Pociďák^b, Juraj

Kosek^{a,b,*}

^a Department of Chemical Engineering, University of Chemistry and Technology, Prague, Technická 5, 166 28 Prague 6, Czech Republic

^b New Technologies - Research Centre, University of West Bohemia, Univerzitní 8, 306 14 Pilsen, Czech Republic

* Corresponding author, juraj.kosek@vscht.cz, +420 220 443 296

Highlights

- Permeation of vanadium ions through tested membrane follows $V^{2+} > VO^{2+} > VO_2^+ > V^{3+}$
- Ion-exchange capacity and morphology rules membrane conductivity and permeability
- Inner morphology dependency on the length of polymeric side-chain observed by SAXS

Download English Version:

<https://daneshyari.com/en/article/7020048>

Download Persian Version:

<https://daneshyari.com/article/7020048>

[Daneshyari.com](https://daneshyari.com)