Author's Accepted Manuscript

Fabrication of functionalized graphene oxide/maleic anhydride grafted polypropylene composite film with excellent gas barrier and anticorrosion properties

Xuyang Li, Parthasarathi Bandyopadhyay, Thanh Tuan Nguyen, Ok-kyung Park, Joong Hee Lee



 PII:
 S0376-7388(17)31815-X

 DOI:
 https://doi.org/10.1016/j.memsci.2017.10.031

 Reference:
 MEMSCI15658

To appear in: Journal of Membrane Science

Received date: 26 June 2017 Revised date: 9 October 2017 Accepted date: 15 October 2017

Cite this article as: Xuyang Li, Parthasarathi Bandyopadhyay, Thanh Tuan Nguyen, Ok-kyung Park and Joong Hee Lee, Fabrication of functionalized graphene oxide/maleic anhydride grafted polypropylene composite film with excellent gas barrier and anticorrosion properties, *Journal of Membrane Science*, https://doi.org/10.1016/j.memsci.2017.10.031

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Fabrication of functionalized graphene oxide/maleic anhydride grafted polypropylene composite film with excellent gas barrier and anticorrosion properties

Xuyang Li,^a Parthasarathi Bandyopadhyay,^a Thanh Tuan Nguyen,^a Ok-kyung Park,^{a*} Joong Hee Lee ^{a,b*}

^a Advanced Materials Institute of BIN Convergence Technology (BK21 Plus Global) & Dept. of BIN Convergence Technology, Chonbuk National University, Jeonju, Jeonbuk, 54896, Republic

of Korea

^b Carbon Composite Research Centre, Department of Polymer - Nano Science and Technology,

Chonbuk National University, Jeonju, Jeonbuk, 54896, Republic of Korea

*Corresponding authors: E-mail address: jhl@chonbuk.ac.kr (Joong Hee Lee) and

okpark@jbnu.ac.kr (Ok-kyung Park)

Highlights

- The mGO-ODA/MAPP composites were prepared for gas barrier and anti-corrosion studies.
- The H₂ and O₂ gas barrier film was fabricated by spray coating of composite on nylon film.
- The barrier film showed 95.0% reduction of O_2 GTR compared to the nylon film.
- The lowest corrosion rate was 2.26×10^{-3} mm/year for the composite.

-Cel

Download English Version:

https://daneshyari.com/en/article/7020354

Download Persian Version:

https://daneshyari.com/article/7020354

Daneshyari.com