

Accepted Manuscript

Determining how polymer-bubble interactions impact algal separation using the novel “Posi”-dissolved air flotation process

Narasinga Rao Hanumanth Rao, Anthony M. Granville, Christine I. Browne, Raymond R. Dagastine, Russell Yap, Bruce Jefferson, Rita K. Henderson

PII: S1383-5866(17)32462-0
DOI: <https://doi.org/10.1016/j.seppur.2018.03.003>
Reference: SEPPUR 14423

To appear in: *Separation and Purification Technology*

Received Date: 31 July 2017
Revised Date: 23 February 2018
Accepted Date: 2 March 2018



Please cite this article as: N. Rao Hanumanth Rao, A.M. Granville, C.I. Browne, R.R. Dagastine, R. Yap, B. Jefferson, R.K. Henderson, Determining how polymer-bubble interactions impact algal separation using the novel “Posi”-dissolved air flotation process, *Separation and Purification Technology* (2018), doi: <https://doi.org/10.1016/j.seppur.2018.03.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Determining how polymer-bubble interactions impact algal separation using the novel “Posi”-dissolved air flotation process

Narasinga Rao Hanumanth Rao,^{a, b} Anthony M. Granville,^{b, c} Christine I. Browne,^{d, e} Raymond R. Dagastine,^{d, e} Russell Yap,^{a, f} Bruce Jefferson,^g Rita K. Henderson^{a, *}

^a *Microbial Advanced Separation Systems Laboratory (bioMASS Lab), School of Chemical Engineering, The University of New South Wales, Sydney, NSW 2052, Australia*

^b *Centre for Advanced Macromolecular Design (CAMD), School of Chemical Engineering, The University of New South Wales, Sydney, NSW 2052, Australia*

^c *TDK Research Solutions, Bondi Junction, NSW 2022, Australia (Present address)*

^d *Department of Chemical Engineering, The University of Melbourne, Parkville, Victoria 3010, Australia*

^e *Particulate Fluids Processing Centre, The University of Melbourne, Parkville, Victoria 3010, Australia*

^f *BASF Corp. Charlotte, North Carolina 28273, USA (Present address)*

^g *Cranfield Water Science Institute, School of Applied Sciences, Cranfield University, Bedfordshire MK43 0AL, UK*

* Corresponding author - r.henderson@unsw.edu.au

ABSTRACT: The novel dissolved air flotation (DAF) process that uses hydrophobically-modified polymers (HMPs) to generate positively charged bubbles (PosiDAF) has been shown to

Download English Version:

<https://daneshyari.com/en/article/7043769>

Download Persian Version:

<https://daneshyari.com/article/7043769>

[Daneshyari.com](https://daneshyari.com)