

Electrochemical oxidation of key pharmaceuticals using a Boron Doped Diamond electrode

Glenn Loos, Thomas Scheers, Kwinten Van Eyck, Ann Van Schepdael, Erwin Adams, Bart Van der Bruggen, Deirdre Cabooter, Raf Dewil

PII: S1383-5866(17)32721-1
DOI: https://doi.org/10.1016/j.seppur.2017.12.009
Reference: SEPPUR 14242

To appear in: *Separation and Purification Technology*

Received Date: 19 August 2017
Revised Date: 21 October 2017
Accepted Date: 4 December 2017

Please cite this article as: G. Loos, T. Scheers, K. Van Eyck, A. Van Schepdael, E. Adams, B. Van der Bruggen, D. Cabooter, R. Dewil, Electrochemical oxidation of key pharmaceuticals using a Boron Doped Diamond electrode, *Separation and Purification Technology* (2017), doi: https://doi.org/10.1016/j.seppur.2017.12.009

Electrochemical oxidation of key pharmaceuticals using a Boron Doped Diamond electrode

Glenn Loos[(a)], Thomas Scheers[(b)], Kwinten Van Eyck[(c,d)], Ann Van Schepdael[(a)], Erwin Adams[(a)], Bart Van der Bruggen[(e,f)], Deirdre Cabooter[(a)], Raf Dewil[(c,*)]

[a] KU Leuven, Department of Pharmaceutical and Pharmacological Sciences, Pharmaceutical Analysis, Herestraat 49, B-3000 Leuven, Belgium

[b] University College Leuven-Limburg, Faculty of Management and Technology, Herestraat 49, B-3000 Leuven, Belgium

[c] KU Leuven, Department of Chemical Engineering, Process and Environmental Technology Lab, J. De Nayerlaan 5, B-2860 Sint-Katelijne-Waver, Belgium

[d] InOpSys NV, Zandvoortstraat 12A, B-2800 Mechelen, Belgium

[e] KU Leuven, Department of Chemical Engineering, Process Engineering for Sustainable Systems Section, Celestijnenlaan 200F, 3001 Leuven, Belgium

[f] Faculty of Engineering and the Built Environment, Tshwane University of Technology, Private Bag X680, Pretoria 0001, South Africa

(*) corresponding author:

J. De Nayerlaan 5, 2860 Sint-Katelijne-Waver, Belgium

tel.: (+) 32 (0)496 074990, fax: (+) 32 (0)15 317453

e-mail: raf.dewil@kuleuven.be