

Accepted Manuscript

Development of novel hybrid imprinted membranes for selective recovery of Theophylline

C. Algieri, O.I. Parisi, M.R. Gullo, F. Puoci, E. Drioli, L. Donato

PII: S1383-5866(17)31441-7
DOI: <https://doi.org/10.1016/j.seppur.2017.10.023>
Reference: SEPPUR 14105

To appear in: *Separation and Purification Technology*

Received Date: 5 May 2017
Revised Date: 13 October 2017
Accepted Date: 13 October 2017

Please cite this article as: C. Algieri, O.I. Parisi, M.R. Gullo, F. Puoci, E. Drioli, L. Donato, Development of novel hybrid imprinted membranes for selective recovery of Theophylline, *Separation and Purification Technology* (2017), doi: <https://doi.org/10.1016/j.seppur.2017.10.023>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Development of novel hybrid imprinted membranes for selective recovery of Theophylline

C. Algieri¹, O.I. Parisi², M.R. Gullo^{1,2}, F. Puoci², E. Drioli¹, L. Donato^{1*}

¹Research Institute on Membrane Technology, ITM-CNR, c/o University of Calabria, Via P. Bucci, Cubo 17/C, 87030 Rende (CS), Italy

²Department of Pharmacy, Health and Nutritional Sciences, University of Calabria, 87036 Rende (CS), Italy

*Corresponding author; e-mail: l.donato@itm.cnr.it

Abstract

A theophylline-binding polymer was synthesized utilizing the bulk polymerization technique. Methacrylic acid, ethylene glycol dimethacrylate, 2,2'-azoisobutyronitrile and chloroform were used to synthesize the imprinted polymer. Theophylline was employed as template. The obtained polymer powder were dispersed in the modified poly(ether ether ketone) (PEEK-WC) polymer solution for preparing hybrid imprinted membranes *via* the phase inversion technique. Membranes containing the non-imprinted polymer were also prepared and used as reference.

For evaluating the recognition properties of polymers and membranes re-binding experiments, with the template and its structural homologue caffeine, were carried out.

The binding capacity of MIP towards the template was 1.18 $\mu\text{mol/g}_p$ and the theophylline/caffeine selectivity factor was 3.2.

All the imprinted membranes exhibited good recognition properties compared with blank membranes, which only showed a poor non-specific binding.

The membrane containing 30 wt. % of the imprinted polymer exhibited the highest binding capacity (10.97 $\mu\text{mol/g}_{\text{memb.}}$), and a theophylline/caffeine selectivity factor of 71.42.

Keywords: Solid-phase extraction; molecular imprinting; hybrid membranes; theophylline; recognition properties.

1. Introduction

Theophylline (THEO) is a xanthine employed in the treatment of asthmatic symptoms, such as the chronic obstructive pulmonary disease, asthma and chronic bronchospasm [1-4].

Asthma is an inflammatory disease, often associated with allergies, characterized by bronchoconstriction (BPCO) and edema. Patients with BPCO have excessive production of

Download English Version:

<https://daneshyari.com/en/article/7044180>

Download Persian Version:

<https://daneshyari.com/article/7044180>

[Daneshyari.com](https://daneshyari.com)