

Accepted Manuscript

Design and performance analysis of three stage centrifugal turbine

Dan Luo, Xin Tan, Diangui Huang

PII: S1359-4311(17)36509-2

DOI: <https://doi.org/10.1016/j.applthermaleng.2017.12.044>


Reference: ATE 11565

To appear in: *Applied Thermal Engineering*

Received Date: 11 October 2017

Revised Date: 28 November 2017

Accepted Date: 9 December 2017



Please cite this article as: D. Luo, X. Tan, D. Huang, Design and performance analysis of three stage centrifugal turbine, *Applied Thermal Engineering* (2017), doi: <https://doi.org/10.1016/j.applthermaleng.2017.12.044>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Design and performance analysis of three stage centrifugal turbine

Dan Luo, Xin Tan, Diangui Huang

¹School of Energy and Power Engineering, University of Shanghai for Science and Technology,

Shanghai 200093, China

HIGHLIGHTS

- 1D design procedure of centrifugal turbine was introduced
- The simulated total-static efficiency of three stage turbine reaches 91.26%
- Off-design performance of three stage turbine was analyzed
- The performances of designed turbine and original axial flow turbine was compared

ABSTRACT

In this paper, the three-stage centrifugal turbine was designed based on the thermodynamic parameters of a four-stage test axial turbine. 1D aerodynamic design, 3D numerical simulation and optimization, and analysis on off-design performance of the centrifugal turbine were conducted. The results show that the key simulation parameters including total-static efficiency, shaft power, reaction degree, velocity ratio and pressure ratio of turbine stages are close to the 1D calculation values; at the design condition, streamline is smooth in the passage of turbine cascades; high efficiency has been obtained, indicating that the aerodynamic performance of three-stage centrifugal turbine meets the designed requirements. In off-design condition, the total-static efficiency of the designed turbine increases with the increase of pressure ratio first and then decreases; the shaft power decreases with the increase of pressure ratio; the mass flow rate increases gradually with the

Download English Version:

<https://daneshyari.com/en/article/7045330>

Download Persian Version:

<https://daneshyari.com/article/7045330>

[Daneshyari.com](https://daneshyari.com)