

Accepted Manuscript

Effects of Pipe Size on Horizontal Two-Phase Flow: Flow Regimes, Pressure Drop, Two-Phase Flow Parameters, and Drift-Flux Analysis

Ran Kong, Seungjin Kim, Stephen Bajorek, Kirk Tien, Chris Hoxie

PII: S0894-1777(18)30296-6
DOI: <https://doi.org/10.1016/j.expthermflusci.2018.02.030>
Reference: ETF 9391

To appear in: *Experimental Thermal and Fluid Science*

Received Date: 8 December 2017
Revised Date: 3 February 2018
Accepted Date: 25 February 2018



Please cite this article as: R. Kong, S. Kim, S. Bajorek, K. Tien, C. Hoxie, Effects of Pipe Size on Horizontal Two-Phase Flow: Flow Regimes, Pressure Drop, Two-Phase Flow Parameters, and Drift-Flux Analysis, *Experimental Thermal and Fluid Science* (2018), doi: <https://doi.org/10.1016/j.expthermflusci.2018.02.030>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Effects of Pipe Size on Horizontal Two-Phase Flow: Flow Regimes, Pressure
Drop, Two-Phase Flow Parameters, and Drift-Flux Analysis**

By:

Ran Kong ^a, Seungjin Kim ^{a,*}, Stephen Bajorek ^b, Kirk Tien ^b, Chris Hoxie ^b

^a School of Nuclear Engineering, Purdue University, Nuclear Engineering Building, 400 Central
Drive, West Lafayette, IN 47907, United States

^b United States Nuclear Regulatory Commission, 11555 Rockville pike, Rockville, MD 20852,
United States

* Corresponding author

Tel. (765)-494-5742

Fax. (765)-494-9570

Email: seungjin@purdue.edu

58 Pages Total, 3 Tables, 18 Figures

Download English Version:

<https://daneshyari.com/en/article/7051666>

Download Persian Version:

<https://daneshyari.com/article/7051666>

[Daneshyari.com](https://daneshyari.com)