

Accepted Manuscript

Title: A higher-order generalization of the NPK-Method

Author: Felix Birkelbach Markus Deutsch Stylianos Flegkas
Winter Franz Andreas Werner

PII: S0040-6031(18)30005-4
DOI: <https://doi.org/doi:10.1016/j.tca.2018.01.005>
Reference: TCA 77914

To appear in: *Thermochimica Acta*

Received date: 25-10-2017
Revised date: 6-1-2018
Accepted date: 8-1-2018



Please cite this article as: Felix Birkelbach, Markus Deutsch, Stylianos Flegkas, Winter Franz, Andreas Werner, A higher-order generalization of the NPK-Method, *Thermochimica Acta* (2018), <https://doi.org/10.1016/j.tca.2018.01.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The NPK method is extended to more than two variables.
- It can derive the kinetic model from any combination of experiments.
- The algorithm is validated by applying it to simulated datasets with noise.

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/7061992>

Download Persian Version:

<https://daneshyari.com/article/7061992>

[Daneshyari.com](https://daneshyari.com)