Enhancing cordycepin production in liquid static cultivation of *Cordyceps militaris* by adding vegetable oils as the secondary carbon source

Jiapeng Tang, Zhenqing Qian, Hui Wu

PII: S0960-8524(18)31060-5
DOI: https://doi.org/10.1016/j.biortech.2018.07.128
Reference: BITE 20258

To appear in: *Bioresource Technology*

Received Date: 23 May 2018
Revised Date: 24 July 2018
Accepted Date: 25 July 2018

Please cite this article as: Tang, J., Qian, Z., Wu, H., Enhancing cordycepin production in liquid static cultivation of *Cordyceps militaris* by adding vegetable oils as the secondary carbon source, *Bioresource Technology* (2018), doi: https://doi.org/10.1016/j.biortech.2018.07.128

Submit to **BIORESOURCE TECHNOLOGY**

Enhancing cordycepin production in liquid static cultivation of *Cordyceps militaris* by adding vegetable oils as the secondary carbon source

Jiapeng Tang[1], Zhenqing Qian[1], Hui Wu[2,3,4]*

[1.] Department of Biochemistry and Pharmacy, Institute of Nautical Medicine, Nantong University, Nantong 226001, PR China.

[2.] State Key Laboratory of Bioreactor Engineering, East China University of Science and Technology, 130 Meilong Road, Shanghai 200237, China

[3.] Shanghai Collaborative Innovation Center for Biomanufacturing Technology, 130 Meilong Road, Shanghai 200237, China

[4.] Key Laboratory of Bio-based Material Engineering of China National Light Industry Council, 130 Meilong Road, Shanghai 200237, China

* Corresponding author: Hui Wu

Telephone: +86-21-64253701

Fax: +86-21-64252250

E-mail: hwu@ecust.edu.cn