Designing continuous flow reaction of xylan hydrolysis for xylooligosaccharides production in packed-bed reactors using xylanase immobilized on methacrylic polymer-based supports

Maria Romero-Fernández, Sonia Moreno-Perez, Alejandro H. Orrego, Sandro Martins de Oliveira, Ramón I. Santamaría, Margarita Díaz, Jose M. Guisan, Javier Rocha-Martin

PII: S0960-8524(18)30849-6
DOI: https://doi.org/10.1016/j.biortech.2018.06.070
Reference: BITE 20087

To appear in: *Bioresource Technology*

Received Date: 21 May 2018
Revised Date: 19 June 2018
Accepted Date: 20 June 2018

Please cite this article as: Romero-Fernández, M., Moreno-Perez, S., Orrego, A.H., de Oliveira, S.M., Santamaría, R.I., Díaz, M., Guisan, J.M., Rocha-Martin, J., Designing continuous flow reaction of xylan hydrolysis for xylooligosaccharides production in packed-bed reactors using xylanase immobilized on methacrylic polymer-based supports, *Bioresource Technology* (2018), doi: https://doi.org/10.1016/j.biortech.2018.06.070

Designing continuous flow reaction of xylan hydrolysis for xylooligosaccharides production in packed-bed reactors using xylanase immobilized on methacrylic polymer-based supports

Maria Romero-Fernández[a], Sonia Moreno-Perez[a,b], Alejandro H. Orrego[a], Sandro Martins de Oliveira[a], Ramón I. Santamaría[c], Margarita Díaz[c], Jose M. Guisan[a] and Javier Rocha-Martin[a]*

[a]*Department of Biocatalysis. Institute of Catalysis and Petrochemistry (ICP) CSIC. Campus UAM. Cantoblanco. 28049 Madrid (Spain)*

[b]*Pharmacy and Biotechnology Department, School of Biomedical Sciences, Universidad Europea, Madrid, Spain*

[c]*Biología Funcional y Genómica (IBFG), Departamento de Microbiología y Genética, CSIC-USAL, Salamanca, Spain*

**Corresponding author:*

Javier Rocha-Martin

E-mail: javirocha@icp.csic.es

Phone: +34915854809

Fax: +34915854760

Abstract

The present study focuses on the development and optimization of a packed-bed reactor (PBR) for continuous production of xylooligosaccharides (XOS) from xylan. For this purpose, three different methacrylic polymer-based supports (Relizyme R403/S,