Salinity stress increases lipid, secondary metabolites and enzyme activity in *Amphora subtropica* and *Dunaliella* sp. for biodiesel production

Ines BenMoussa-Dahmen, Haifa Chtourou, Fatma Rezgui, Sami Sayadi, Abdelhafidh Dhouib

PII: S0960-8524(16)30986-5
DOI: http://dx.doi.org/10.1016/j.biortech.2016.07.022
Reference: BITE 16784

To appear in: *Bioresource Technology*

Received Date: 7 May 2016
Revised Date: 5 July 2016
Accepted Date: 6 July 2016

Please cite this article as: BenMoussa-Dahmen, I., Chtourou, H., Rezgui, F., Sayadi, S., Dhouib, A., Salinity stress increases lipid, secondary metabolites and enzyme activity in *Amphora subtropica* and *Dunaliella* sp. for biodiesel production, *Bioresource Technology* (2016), doi: http://dx.doi.org/10.1016/j.biortech.2016.07.022

Salinity stress increases lipid, secondary metabolites and enzyme activity in *Amphora subtropica* and *Dunaliella* sp. for biodiesel production

Ines BenMoussa-Dahmen*, Haifa Chtourou, Fatma Rezgui, Sami Sayadi, Abdelhafidh Dhouib

Laboratory of Environmental Bioprocesses, Centre of Biotechnology of Sfax, University of Sfax. Sidi Mansour Street Km 6, PO Box «1177», 3018-Sfax, Tunisia

*Corresponding author: E-mail: ines_dahmen@hotmail.fr ; Tel: +216 53299494

Fax: +216 74 874 452