Lignin isolated from steam-exploded eucalyptus wood chips by phase separation and its affinity to *Trichoderma reesei* cellulase

Hiroshi Nonaka, Ai Kobayashi, Masamitsu Funaoka

PII: S0960-8524(13)00733-5
DOI: http://dx.doi.org/10.1016/j.biortech.2013.04.109
Reference: BITE 11769

To appear in: *Bioresource Technology*

Received Date: 24 March 2013
Revised Date: 5 April 2013
Accepted Date: 28 April 2013

Please cite this article as: Nonaka, H., Kobayashi, A., Funaoka, M., Lignin isolated from steam-exploded eucalyptus wood chips by phase separation and its affinity to *Trichoderma reesei* cellulase, *Bioresource Technology* (2013), doi: http://dx.doi.org/10.1016/j.biortech.2013.04.109

Title

Lignin isolated from steam-exploded eucalyptus wood chips by phase separation and its affinity to *Trichoderma reesei* cellulase

Authors

Hiroshi Nonaka*, Ai Kobayashi, Masamitsu Funaoka

Affiliations

Graduate School of Bioresources, Mie University,

1577 Kurimamachiya-cho, Tsu, Mie 514-8507, Japan

* Corresponding author.

TEL.: +81-59-231-9520; FAX: +81-59-231-9591.

E-mail address: nonaka@bio.mie-u.ac.jp (H. Nonaka)