### Accepted Manuscript

Title: Use of hydrodynamic cavitation with additional high purity water for thermal water treatment

Authors: Emília Pozsgai, Ildikó Galambos, Gábor Dóka, Levente Csóka



Chemical Engineering and Processing

Please cite this article as: Pozsgai E, Galambos I, Dóka G, Csóka L, Use of hydrodynamic cavitation with additional high purity water for thermal water treatment, *Chemical Engineering and Processing - Process Intensification* (2010), https://doi.org/10.1016/j.cep.2018.04.016

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## ACCEPTED MANUSCRIPT

#### Use of hydrodynamic cavitation with additional high purity water for thermal water

#### treatment

Emília Pozsgai<sup>a</sup>, Ildikó Galambos<sup>a</sup>, Gábor Dóka<sup>b</sup>, Levente Csóka<sup>b,c,\*</sup>

<sup>a</sup>University of Pannonia, Soós Ernő Water Technology Research and Development Center, Zrínyi

Miklós Str. 18., 8800 Nagykanizsa, Hungary

<sup>b</sup>Aqua-Filt Ltd., Faller Jenő Str. 6., 9400 Sopron, Hungary

<sup>c</sup>University of Sopron, Institute of Wood Based Products and Technologies, Bajcsy-Zsilinszky Str.

4., 9400 Sopron, Hungary

**GRAPHICAL ABSTRACT** 



#### **Highlights:**

- Cavitation with high purity water employed a reduction in NPOC and TN values.
- High purity water under cavitation can reduce biological activity.

\*Corresponding author: Levente Csóka: levente.csoka@skk.nyme.hu Download English Version:

# https://daneshyari.com/en/article/7088530

Download Persian Version:

https://daneshyari.com/article/7088530

Daneshyari.com