

Accepted Manuscript

Application of chromaticity coordinates for solution turbidity measurement

Yizhang Wen, Yuanfang Mao, Xiaoping Wang

PII: S0263-2241(18)30718-8

DOI: <https://doi.org/10.1016/j.measurement.2018.07.081>

Reference: MEASUR 5765

To appear in: *Measurement*

Received Date: 13 October 2016

Revised Date: 28 May 2018

Accepted Date: 25 July 2018



Please cite this article as: Y. Wen, Y. Mao, X. Wang, Application of chromaticity coordinates for solution turbidity measurement, *Measurement* (2018), doi: <https://doi.org/10.1016/j.measurement.2018.07.081>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Application of chromaticity coordinates for solution turbidity measurement

Yizhang Wen ^{a,*}, Yuanfang Mao ^a, Xiaoping Wang ^b

^a College of Electrical and Information Engineering, Hunan University, Hunan, Changsha 410082, People's Republic of China

^b State Key Laboratory of Modern Optical Instrumentation, Department of Optical Engineering, Zhejiang University, Hangzhou 310027, People's Republic of China

*Corresponding author

E-mail address:

yzwen@hnu.edu.cn (Yizhang Wen)

Download English Version:

<https://daneshyari.com/en/article/7119853>

Download Persian Version:

<https://daneshyari.com/article/7119853>

[Daneshyari.com](https://daneshyari.com)