

Accepted Manuscript

Estimation of a room ventilation air change rate using a stochastic grey-box modelling approach

Marcel Macarulla, Miquel Casals, Núria Forcada, Marta Gangolells, Alberto Giretti

PII: S0263-2241(18)30303-8
DOI: <https://doi.org/10.1016/j.measurement.2018.04.029>
Reference: MEASUR 5430

To appear in: *Measurement*

Received Date: 5 October 2017
Revised Date: 3 April 2018
Accepted Date: 9 April 2018

Please cite this article as: M. Macarulla, M. Casals, N. Forcada, M. Gangolells, A. Giretti, Estimation of a room ventilation air change rate using a stochastic grey-box modelling approach, *Measurement* (2018), doi: <https://doi.org/10.1016/j.measurement.2018.04.029>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Estimation of a room ventilation air change rate using a stochastic grey-box modelling approach

Marcel Macarulla^{*a}, Miquel Casals^a, Núria Forcada^a, Marta Gangolells^a, Alberto Giretti^b

Authors' affiliation

^aUniversitat Politècnica de Catalunya, Department of Project and Construction Engineering, Group of Construction Research and Innovation (GRIC), C/Colom, 11, Ed. TR5, 08222 Terrassa, Barcelona, Spain; ^bUniversità Politecnica delle Marche, Department of Civil and Building Engineering and Architecture, Via delle Brecce Bianche, 60100 Ancona, Italy

Corresponding author

Marcel Macarulla, PhD, Universitat Politècnica de Catalunya, Department of Project and Construction Engineering, Group of Construction Research and Innovation (GRIC), C/Colom, 11, Ed. TR5, 08222 Terrassa, Barcelona, Spain. Tel: (+34) 937398395, marcel.macarulla@upc.edu

Highlights

The grey-box modelling approach is used to estimate the room ventilation air change rate

Four days are enough to obtain suitable parametrization with grey-box modelling

The CO₂ sensor location is not important when the grey-box modelling approach is used

Download English Version:

<https://daneshyari.com/en/article/7121305>

Download Persian Version:

<https://daneshyari.com/article/7121305>

[Daneshyari.com](https://daneshyari.com)