Accepted Manuscript

Automating Pseudo-static Analysis of Concrete Cantilever Retaining Wall Using Evolutionary Algorithms

Amir H. Gandomi, Ali R. Kashani

PII:	S0263-2241(17)30655-3
DOI:	https://doi.org/10.1016/j.measurement.2017.10.032
Reference:	MEASUR 5034
To appear in:	Measurement
Received Date:	14 July 2017
Revised Date:	3 September 2017
Accepted Date:	12 October 2017



Please cite this article as: A.H. Gandomi, A.R. Kashani, Automating Pseudo-static Analysis of Concrete Cantilever Retaining Wall Using Evolutionary Algorithms, *Measurement* (2017), doi: https://doi.org/10.1016/j.measurement. 2017.10.032

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Automating Pseudo-static Analysis of Concrete Cantilever Retaining Wall Using Evolutionary Algorithms

Amir H. Gandomi¹, Ali R. Kashani²

¹School of Business, Stevens Institute of Technology, Hoboken, NJ 07030, USA

²Department of Civil Engineering, Arak University, Arak, Iran

ABSTRACT

Evolutionary optimization algorithms by imitating survival of the best features and transmutation of the creatures within their generation, approach complicated engineering problems very well. Similar to many other field of research, civil engineering problems have benefited from this capacity. In the current study, optimum design of retaining walls under seismic loading case is analyzed by three evolutionary algorithms, differential evolution (DE), evolutionary strategy (ES), and biogeography-based optimization algorithms (BBO). All the results are benchmarked with the classical evolutionary algorithm, genetic algorithm (GA). To this end, two different measures, minimum-cost and minimum-weight, are considered based on ACI 318-05 requirements coupled with geotechnical considerations for retaining walls. Numerical simulations on three case studies revealed that BBO reached the best results over all the case studies decisively.

KEYWORD

Retaining wall; Pseudo-static loading case; Global optimization; Evolutionary Algorithms.

Download English Version:

https://daneshyari.com/en/article/7122007

Download Persian Version:

https://daneshyari.com/article/7122007

Daneshyari.com