

## Accepted Manuscript

Response surface methodology for damage detection using frequency and mode shape

Sarehati Umar, Norhisham Bakhary, A.R.Z. Abidin

PII: S0263-2241(17)30679-6  
DOI: <https://doi.org/10.1016/j.measurement.2017.10.047>  
Reference: MEASUR 5049

To appear in: *Measurement*

Received Date: 23 November 2015  
Revised Date: 23 July 2017  
Accepted Date: 24 October 2017



Please cite this article as: S. Umar, N. Bakhary, A.R.Z. Abidin, Response surface methodology for damage detection using frequency and mode shape, *Measurement* (2017), doi: <https://doi.org/10.1016/j.measurement.2017.10.047>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Response surface methodology for damage detection using frequency and mode shape

Sarehati Umar<sup>a</sup>, Norhisham Bakhary<sup>a,b\*</sup> ARZ Abidin<sup>a</sup>

<sup>a</sup>*Faculty of Civil Engineering, Universiti Teknologi Malaysia, 81310 Skudai, Johor, Malaysia*

<sup>b</sup>*Institute of Noise and Vibration, Universiti Teknologi Malaysia, City Campus, Jalan Semarak 54100 Kuala Lumpur, Malaysia*

\*Corresponding author:

Address: Faculty of Civil Engineering, Universiti Teknologi Malaysia 81310 UTM Skudai, Johor

Tel: +607-5538710; Mobile: +6012-7320973

Email: norhisham@utm.my

Download English Version:

<https://daneshyari.com/en/article/7122145>

Download Persian Version:

<https://daneshyari.com/article/7122145>

[Daneshyari.com](https://daneshyari.com)