

Accepted Manuscript

A method to quantify coating thickness and porosity of electrodes for lithium-ion-batteries

Ph. Just, J. Rost, T. Echelmeyer, L. Ebert, M.A. Roscher

PII: S0263-2241(16)30058-6
DOI: <http://dx.doi.org/10.1016/j.measurement.2016.04.001>
Reference: MEASUR 3938

To appear in: *Measurement*

Received Date: 5 June 2015
Revised Date: 29 March 2016
Accepted Date: 1 April 2016

Please cite this article as: Ph. Just, J. Rost, T. Echelmeyer, L. Ebert, M.A. Roscher, A method to quantify coating thickness and porosity of electrodes for lithium-ion-batteries, *Measurement* (2016), doi: <http://dx.doi.org/10.1016/j.measurement.2016.04.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**A method to quantify coating thickness and porosity of electrodes for
lithium-ion-batteries**

Ph. Just, J. Rost, T. Echelmeyer, L. Ebert, M. A. Roscher*

ThyssenKrupp System Engineering GmbH, Weipertstraße 37, 74076 Heilbronn, Germany

Key words:

Lithium-ion battery production, electrode inspection; active thermography; thickness
measurement; basis weight measurement

* Corresponding author (E-mail address: michael.roscher@thyssenkrupp.com; Tel.: +49 7323 62192; Fax: +49 3723 62288)

Download English Version:

<https://daneshyari.com/en/article/7123817>

Download Persian Version:

<https://daneshyari.com/article/7123817>

[Daneshyari.com](https://daneshyari.com)