Accepted Manuscript

Title: Synthesis of TiO₂ nanowires for rapid NO₂ detection

Authors: Zhen Zhu, Shu-Jing Lin, Chun-Han Wu, Ren-Jang

Wu

PII: S0924-4247(17)31972-6

DOI: https://doi.org/10.1016/j.sna.2018.02.006

Reference: SNA 10628

To appear in: Sensors and Actuators A

Received date: 3-11-2017 Revised date: 29-1-2018 Accepted date: 6-2-2018



Please cite this article as: Zhu Z, Lin S-J, Wu C-H, Wu R-J, Synthesis of TiO₂ nanowires for rapid NO₂ detection, *Sensors and Actuators: A Physical* (2010), https://doi.org/10.1016/j.sna.2018.02.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Synthesis of TiO₂ nanowires for rapid NO₂ detection

Zhen Zhu^a, Shu-Jing Lin^b, Chun-Han Wu^b, Ren-Jang Wu^{b,*}

^aSchool of Environmental Science and Safety Engineering, Tianjin University of

Technology, Tianjin 300384, China.

^bDepartment of Applied Chemistry, Providence University, Shalu, Taichung 43301,

Taiwan.

*Corresponding author.

Ren-Jang Wu

Tel.: +886-4-26328001-15212; fax: +886-4-26327554;

E-mail addresses: rjwu@pu.edu.tw.

Graphical Abstract

A titanium dioxide nanowires (TiO_2 -NWs) has been successfully fabricated by hydrothermal method. It was found that the sensor based on TiO_2 -NWs showed excellent stability, selectivity and high response 3.10 towards 100 ppm NO_2 concentration at room temperature with rapid response and recovery times of 10 s and 19 s, respectively.

Download English Version:

https://daneshyari.com/en/article/7133731

Download Persian Version:

https://daneshyari.com/article/7133731

<u>Daneshyari.com</u>