

Accepted Manuscript

Title: QCM-D sensor for the dose management of Apixaban in replacement surgery

Authors: Munawar Hussain, Katrin Schmidt, Mareike Kristina Körber, Elisabeth Langer, Oksana Faul, Hinnak Northoff, Hans Peter Wendel, Christian von Heymann, Frank K. Gehring



PII: S0925-4005(18)31480-1
DOI: <https://doi.org/10.1016/j.snb.2018.08.049>
Reference: SNB 25196

To appear in: *Sensors and Actuators B*

Received date: 8-3-2018
Revised date: 28-7-2018
Accepted date: 9-8-2018

Please cite this article as: Hussain M, Schmidt K, Körber MK, Langer E, Faul O, Northoff H, Wendel HP, von Heymann C, Gehring FK, QCM-D sensor for the dose management of Apixaban in replacement surgery, *Sensors and amp; Actuators: B. Chemical* (2018), <https://doi.org/10.1016/j.snb.2018.08.049>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

QCM-D sensor for the dose management of Apixaban in replacement surgery

Munawar Hussain^{1*}, Katrin Schmidt³, Mareike Kristina Körber³, Elisabeth Langer^{5,6}, Oksana Faul², Hinnak Northoff², Hans Peter Wendel¹, Christian von Heymann^{3,4}, Frank K Gehring²

¹ Biosensor Research Group, Thoracic, Cardiac and Vascular Surgery Department, Tuebingen University, Germany, Correspondence should be addressed to M.H. (munawar_arif@hotmail.com)

² Institute of Clinical and Experimental Transfusion Medicine, Tuebingen University, Germany

³ Charité Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin and Berlin Institut of health; Department of Anesthesiology and Operative Intensive Care Medicine (CCM, CVK), Campus Virchow Klinikum, Augustenburger Platz 1, 13353 Berlin, Germany

⁴ Vivantes Klinikum im Friedrichshain, Department of Anesthesiology, Intensive Care Medicine, Emergency Medicine and Pain Medicine, Landsberger Allee 49, 10249 Berlin, Germany

⁵ Labor Berlin—Charite Vivantes, GmbH, Berlin, Germany

⁶ Institute for Laboratory Medicine, Clinical Chemistry and Pathobiochemistry, Charité-Universitätsmedizin Berlin, Campus Charité Virchow Klinikum, Berlin, Germany

Highlights

- QCM-D superiority over standard equipment for dose management of apixaban.
- The $\Delta f/\Delta F$ of the QCM-D-aPTT assay copes the clinical challenge.
- The first report of the dose management of apixaban in replacement surgery.
- The first report for thrombin test for real patients' samples application on QCM-D.
- A new strategy for faster injection of smaller sample volumes.

Abstract

Apixaban has been recently permitted for medication and the clinics lack an antidote for overturning the drug's effect. We present the first report of the safe dose management of

Download English Version:

<https://daneshyari.com/en/article/7138555>

Download Persian Version:

<https://daneshyari.com/article/7138555>

[Daneshyari.com](https://daneshyari.com)