

Title: A hypoxia-activated near infrared fluorescent probe for cyclooxygenase-2 and in vivo imaging for tumor and inflammation

Authors: Yuezheng Ti, Ling Yu, Yao Tang, Tongxia Jin, Ming Yang, Rui Wang, Yufang Xu, Weiping Zhu

PII: S0925-4005(18)30401-5
DOI: https://doi.org/10.1016/j.snb.2018.02.122
Reference: SNB 24217

To appear in: *Sensors and Actuators B*

Received date: 28-9-2017
Revised date: 10-2-2018
Accepted date: 15-2-2018

Please cite this article as: Yuezheng Ti, Ling Yu, Yao Tang, Tongxia Jin, Ming Yang, Rui Wang, Yufang Xu, Weiping Zhu, A hypoxia-activated near infrared fluorescent probe for cyclooxygenase-2 and in vivo imaging for tumor and inflammation, Sensors and Actuators B: Chemical https://doi.org/10.1016/j.snb.2018.02.122

A hypoxia-activated near infrared fluorescent probe for cyclooxygenase-2 and in vivo imaging for tumor and inflammation

Yuezheng Ti [a,†], Ling Yu [b,†], Yao Tang [a], Tongxia Jin [a], Ming Yang [a], Rui Wang [b,*], Yufang Xu [a], Weiping Zhu [a,*]

a. State Key Laboratory of Bioreactor Engineering, Shanghai Key Laboratory of Chemical Biology, School of Pharmacy, East China University of Science and Technology, 130 Meilong Road, Shanghai 200237, P. R. China.

b. Shanghai Key Laboratory of New Drug Design, School of Pharmacy, East China University of Science and Technology, 130 Meilong Road, Shanghai 200237, P. R. China.

† These authors contributed equally to this work.

* Corresponding author.

E-mail address: ruiwang@ecust.edu.cn (Rui Wang);

wpzhu@ecust.edu.cn (Weiping Zhu)

KEYWORDS Fluorescent probe; Cyclooxygenase-2; Tumor; Hypoxia; Inflammation