## Accepted Manuscript

Title: Room-temperature-operated organic-based acetone gas sensor for breath analysis

Authors: Ming-Yen Chuang, Yu-Ting Lin, Ting-Wei Tung, Liang-Yu Chang, Hsiao-Wen Zan, Hsin-Fei Meng, Chia-Jung Lu, Yu-Tai Tao


PII: S0925-4005(17)32504-2

DOI: https://doi.org/10.1016/j.snb.2017.12.168

Reference: SNB 23856

To appear in: Sensors and Actuators B

Received date: 14-7-2017 Revised date: 13-11-2017 Accepted date: 27-12-2017



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



### ACCEPTED MANUSCRIPT

# Room-temperature-operated organic-based acetone gas sensor for breath analysis

Ming-Yen Chuang<sup>1</sup>, Yu-Ting Lin<sup>2</sup>, Ting-Wei Tung<sup>1</sup>, Liang-Yu Chang<sup>1</sup>, Hsiao-Wen Zan<sup>1</sup>,\*, Hsin-Fei Meng<sup>3</sup>, Chia-Jung Lu<sup>4</sup>, Yu-Tai Tao<sup>5</sup>

<sup>1</sup>Department of Photonics, College of Electrical and Computer Engineering, National Chiao Tung University, 1001, Ta Hsueh Rd., 300 Hsinchu, Taiwan

<sup>2</sup>Department of Electrophysics, National Chiao Tung University, 1001, Ta Hsueh Rd., 300 Hsinchu, Taiwan


<sup>3</sup>Institute of Physics, National Chiao Tung University, 1001, Ta Hsueh Rd., 300 Hsinchu, Taiwan

<sup>4</sup>Department of Chemistry, National Taiwan Normal University, 162, Heping East Rd., Section 1, 106 Taipei, Taiwan

<sup>5</sup>Institute of Chemistry, Academia sinica, 128, Sec. 2, Academia Rd., Nankang, Taipei 115, Taiwan

#### \*Corresponding author:

Hsiao-Wen Zan: hsiaowen@mail.nctu.edu.tw; Fax: +886-3-5737681 Graphical abstract



#### **Highlights**

- The sensing performance of sensors based on conducting polymers is greatly affected by the presence of water vapor.
- The TFB sensor exhibited high sensitivity to acetone, down to ppb levels in ambient air.
- A humidification tube was designed as an ammonia filter to improve selectivity.

#### Download English Version:

# https://daneshyari.com/en/article/7140990

Download Persian Version:

https://daneshyari.com/article/7140990

<u>Daneshyari.com</u>