

Accepted Manuscript

Title: Sensitive On-Chip Detection of Cancer Antigen 125
Using a DNA Aptamer/Carbon Nanotube Network Platform

Authors: Vinayakumar Gedi, Chung Kil Song, Gae Baik Kim,
Jin Oh Lee, Eunkyul Oh, Bum Seok Shin, Mingi Jung, Jinhee
Shim, Haiwon Lee, Young-Pil Kim



PII: S0925-4005(17)31947-0
DOI: <https://doi.org/10.1016/j.snb.2017.10.049>
Reference: SNB 23353

To appear in: *Sensors and Actuators B*

Received date: 11-7-2017
Revised date: 6-10-2017
Accepted date: 9-10-2017

Please cite this article as: Vinayakumar Gedi, Chung Kil Song, Gae Baik Kim, Jin Oh Lee, Eunkyul Oh, Bum Seok Shin, Mingi Jung, Jinhee Shim, Haiwon Lee, Young-Pil Kim, Sensitive On-Chip Detection of Cancer Antigen 125 Using a DNA Aptamer/Carbon Nanotube Network Platform, *Sensors and Actuators B: Chemical* <https://doi.org/10.1016/j.snb.2017.10.049>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Sensitive On-Chip Detection of Cancer Antigen 125 Using a DNA Aptamer/Carbon Nanotube Network Platform

Vinayakumar Gedi^{1,†}, Chung Kil Song^{2,3,†}, Gae Baik Kim¹, Jin Oh Lee¹, Eunkyul Oh², Bum Seok Shin²,
Mingi Jung², Jinhee Shim², Haiwon Lee^{2,3,4,*}, Young-Pil Kim^{1,3,4,*}

¹Department of Life Science, Hanyang University, Seoul 04763, Republic of Korea

²Department of Chemistry, Hanyang University, Seoul 04763, Republic of Korea

³Institute of Nano Science and Technology, Hanyang University, Seoul 04763, Republic of Korea

⁴Research Institute for Natural Sciences, Hanyang University, Seoul 04763, Republic of Korea

[†]These authors contributed equally to this work.

*To whom correspondence should be addressed: Phone: +82-2-2220-0945; +82-2-2220-2560, E-mail:
haiwon@hanyang.ac.kr; ypilkim@hanyang.ac.kr

Highlights

- The ssDNA aptamer for cancer antigen 125 (CA125) was selected through SELEX.
- Specificity of aptamer to CA125 was validated using cell imaging and 3DN-CNT.
- Biochip platform showed much improved sensitivity than that of 2D or ELISA.

Download English Version:

<https://daneshyari.com/en/article/7141285>

Download Persian Version:

<https://daneshyari.com/article/7141285>

[Daneshyari.com](https://daneshyari.com)