Accepted Manuscript

Title: Cobalt nitride nanowire array as an efficient electrochemical sensor for glucose and H_2O_2 detection

Authors: Fengyu Xie, Xiaoqin Cao, Fengli Qu, Abdullah M. Asiri, Xuping Sun



PII:	S0925-4005(17)31523-X
DOI:	http://dx.doi.org/10.1016/j.snb.2017.08.098
Reference:	SNB 22965
To appear in:	Sensors and Actuators B
Received date:	3-4-2017
Revised date:	25-7-2017
Accepted date:	11-8-2017

Please cite this article as: Fengyu Xie, Xiaoqin Cao, Fengli Qu, Abdullah M.Asiri, Xuping Sun, Cobalt nitride nanowire array as an efficient electrochemical sensor for glucose and H2O2 detection, Sensors and Actuators B: Chemicalhttp://dx.doi.org/10.1016/j.snb.2017.08.098

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Cobalt nitride nanowire array as an efficient electrochemical sensor for glucose and H_2O_2 detection

Fengyu Xie,^{a,b,†,*} Xiaoqin Cao,^{b,c,†} Fengli Qu,^d Abdullah M. Asiri,^e and Xuping Sun^{b,*}

^a College of Chemistry and Materials Science, Sichuan Normal University, Chengdu 610068, Sichuan, China. E-mail: xie.fengyu@hotmail.com

^b Chemical Synthesis and Pollution Control, Key Laboratory of Sichuan Province,

School of Chemistry and Chemical engineering, China West Normal University, Nanchong 637002, Sichuan, China. E-mail: sunxp@cwnu.edu.cn

^c College of Life Science and Engineering, Southwest Jiaotong University, Chengdu 610031, Sichuan, China

^d College of Chemistry and Chemical Engineering, Qufu Normal University, Qufu 273165, Shandong, China

^e College of Chemical and Environ Department, Faculty of Science, King Abdulaziz University, Jeddah 21589, Saudi Arabia

[†]F. Xie and X. Cao contributed equally to this work

Abstract

It is highly attractive to develop non-noble-metal nanoarray architecture as a high-active catalyst electrode for molecular detection due to its large specific surface area and easy accessibility to target molecules. In this paper, we demonstrate the development of cobalt

Download English Version:

https://daneshyari.com/en/article/7141803

Download Persian Version:

https://daneshyari.com/article/7141803

Daneshyari.com