

Accepted Manuscript

Title: A miniaturized fiber-optic fluorescence analyzer for detection of Picric acid explosive from commercial and environmental samples

Authors: Samuel S.R. Dasary, Anant K. Singh, Ken S. Lee, Hongtao Yu, Paresh C. Ray



PII: S0925-4005(17)31606-4
DOI: <http://dx.doi.org/10.1016/j.snb.2017.08.175>
Reference: SNB 23042

To appear in: *Sensors and Actuators B*

Received date: 26-5-2017
Revised date: 18-8-2017
Accepted date: 23-8-2017

Please cite this article as: Samuel S.R.Dasary, Anant K.Singh, Ken S.Lee, Hongtao Yu, Paresh C.Ray, A miniaturized fiber-optic fluorescence analyzer for detection of Picric acid explosive from commercial and environmental samples, *Sensors and Actuators B: Chemical*<http://dx.doi.org/10.1016/j.snb.2017.08.175>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A miniaturized fiber-optic fluorescence analyzer for detection of Picric acid explosive from commercial and environmental samples

Samuel S R. Dasary^{†*}, Anant K. Singh[‡], Ken S. Lee[†], Hongtao Yu[‡], and Paresh C. Ray[†]


[†]Department of Chemistry & Biochemistry, Jackson State University, Jackson, MS, USA

[‡]Department of Chemistry & Physics, Alcorn State University, Lorman, MS 39096 USA

[‡]Dixon Science Research Center, Morgan State University, Baltimore, MD 21251

E-mail : samuel.s.dasary@jsums.edu (Dasary) Tel : 601-979-0934 Fax : 601-979-3674

Table of Content Graphic



Download English Version:

<https://daneshyari.com/en/article/7141905>

Download Persian Version:

<https://daneshyari.com/article/7141905>

[Daneshyari.com](https://daneshyari.com)