Accepted Manuscript

Title: Preparation of new class composite adsorbent for enhanced palladium(II) detection and recovery

Author: Md. Rabiul Awual Md. Munjur Hasan Mu. Naushad

Hideaki Shiwaku Tsuyoshi Yaita

PII: S0925-4005(14)01598-6

DOI: http://dx.doi.org/doi:10.1016/j.snb.2014.12.053

Reference: SNB 17843

To appear in: Sensors and Actuators B

Received date: 26-5-2014 Revised date: 21-11-2014 Accepted date: 11-12-2014

Please cite this article as: Md.R. Awual, Md.M. Hasan, Mu. Naushad, H. Shiwaku, T. Yaita, Preparation of new class composite adsorbent for enhanced palladium(II) detection and recovery, *Sensors and Actuators B: Chemical* (2014), http://dx.doi.org/10.1016/j.snb.2014.12.053

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

1	Preparation of new class composite adsorbent for enhanced palladium(II)
2	detection and recovery
3	
4	Md. Rabiul Awual ^a *, Md. Munjur Hasan ^b , Mu. Naushad ^c ,
5	Hideaki Shiwaku ^a , Tsuyoshi Yaita ^a
6 7	^a Actinide Coordination Chemistry Group, Quantum Beam Science Centre, Japan Atomic
8	Energy Agency (SPring–8), Hyogo 679–5148, Japan
9	^b Shaheed Ziaur Rahman Medical College, Bogra 5800, Bangladesh
10	^c Department of Chemistry, College of Science, King Saud University, Bld#5, Riyadh, Saudi
11	Arabia
12	
13	* Corresponding author. Tel.: +81 791 58 2642; fax: +81 791 58 0311.
14	E-mail address: rawual76@yahoo.com, awual.rabiul@jaea.go.jp (M. R. Awual).
15	
16	
17	
18	Research highlights:
	recount in ginights.
19	
20	Novel ligand based composite adsorbent was developed for enhanced Pd(II) capturing.
21	➤ Influenced by pH, initial concentration, shaking time, diverse ions were evaluated.
22	➤ Ultra-trace Pd(II) was detected and recovered with specific color formation.
23	➤ The adsorbent was reused in many cycles without damage to cage cavities.
24	
25	
26	
27	

Download English Version:

https://daneshyari.com/en/article/7146372

Download Persian Version:

https://daneshyari.com/article/7146372

<u>Daneshyari.com</u>