

## Accepted Manuscript

Three-dimensional computational model of multiphase flow driven by a bed of active cilia

Yeong Loong Raymond Quek, Kian Meng Lim, Keng-Hwee Chiam

PII: S0045-7930(18)30245-7  
DOI: [10.1016/j.compfluid.2018.05.001](https://doi.org/10.1016/j.compfluid.2018.05.001)  
Reference: CAF 3886



To appear in: *Computers and Fluids*

Received date: 15 May 2017  
Revised date: 26 April 2018  
Accepted date: 1 May 2018

Please cite this article as: Yeong Loong Raymond Quek, Kian Meng Lim, Keng-Hwee Chiam, Three-dimensional computational model of multiphase flow driven by a bed of active cilia, *Computers and Fluids* (2018), doi: [10.1016/j.compfluid.2018.05.001](https://doi.org/10.1016/j.compfluid.2018.05.001)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights**

- In a two-fluid configuration, vortices are generated by cilia metachronal motion.
- Surface tension between the fluids confines vortices to the vicinity of the cilia.
- Confinement of vortices alters the fluid velocity profiles in the flow chamber.
- Alteration of velocity profiles results in enhanced mixing or enhanced transport.

Download English Version:

<https://daneshyari.com/en/article/7156027>

Download Persian Version:

<https://daneshyari.com/article/7156027>

[Daneshyari.com](https://daneshyari.com)