

Accepted Manuscript

Application of model kinetic equations to hypersonic rarefied gas flows

V.A. Titarev

PII: S0045-7930(17)30229-3
DOI: [10.1016/j.compfluid.2017.06.019](https://doi.org/10.1016/j.compfluid.2017.06.019)
Reference: CAF 3524



To appear in: *Computers and Fluids*

Received date: 24 March 2017
Revised date: 5 June 2017
Accepted date: 19 June 2017

Please cite this article as: V.A. Titarev, Application of model kinetic equations to hypersonic rarefied gas flows, *Computers and Fluids* (2017), doi: [10.1016/j.compfluid.2017.06.019](https://doi.org/10.1016/j.compfluid.2017.06.019)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Accuracy of model kinetic equations for hypersonic flows is assessed
- Comparison with DSMC is provided for $M=25$
- External flow of a over a complex model winged re-entry vehicle with orbital free-stream velocity is presented
- Solver scalability for up to 256 nodes (61440 hyperthreads) is shown.

Download English Version:

<https://daneshyari.com/en/article/7156069>

Download Persian Version:

<https://daneshyari.com/article/7156069>

[Daneshyari.com](https://daneshyari.com)