

Accepted Manuscript

A Volume-of-Fluid Ghost-Cell Immersed Boundary Method for Multiphase Flows with Contact Line Dynamics

Adam O'Brien, Markus Bussmann

PII: S0045-7930(18)30006-9
DOI: [10.1016/j.compfluid.2018.01.006](https://doi.org/10.1016/j.compfluid.2018.01.006)
Reference: CAF 3689



To appear in: *Computers and Fluids*

Received date: 16 October 2017
Revised date: 10 January 2018
Accepted date: 11 January 2018

Please cite this article as: Adam O'Brien, Markus Bussmann, A Volume-of-Fluid Ghost-Cell Immersed Boundary Method for Multiphase Flows with Contact Line Dynamics, *Computers and Fluids* (2018), doi: [10.1016/j.compfluid.2018.01.006](https://doi.org/10.1016/j.compfluid.2018.01.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A new contact line model for ghost-cell immersed boundary methods is proposed
- The contact line model is suitable for flat and curved geometries
- Some applications of the model are demonstrated
- A coupled momentum/CICSAM scheme is proposed for high density ratio flows

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/7156362>

Download Persian Version:

<https://daneshyari.com/article/7156362>

[Daneshyari.com](https://daneshyari.com)