Accepted Manuscript

Characteristics of combined blast and fragments loading

Hezi Y. Grisaro, Avraham N. Dancygier

PII: S0734-743X(17)30956-9

DOI: 10.1016/j.ijimpeng.2018.02.004

Reference: IE 3068

To appear in: International Journal of Impact Engineering

Received date: 3 November 2017 Revised date: 6 February 2018 Accepted date: 12 February 2018



Please cite this article as: Hezi Y. Grisaro, Avraham N. Dancygier, Characteristics of combined blast and fragments loading, *International Journal of Impact Engineering* (2018), doi: 10.1016/j.ijimpeng.2018.02.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights

- The combined loading caused by blast and fragmentation is studied
- Simplified model for the impulse assessment of the combined loading is proposed
- The model is compared with experimental data and numerical simulations
- The detailed pressure time history of the combined loading is presented

Download English Version:

https://daneshyari.com/en/article/7172941

Download Persian Version:

https://daneshyari.com/article/7172941

<u>Daneshyari.com</u>