

Accepted Manuscript

Non-contact and non-destructive Lamb wave generation using laser-induced plasma shock wave

Naoki Hosoya , Atsushi Yoshinaga , Atsushi Kanda , Itsuro Kajiwara

PII: S0020-7403(17)32655-3
DOI: [10.1016/j.ijmecsci.2018.03.023](https://doi.org/10.1016/j.ijmecsci.2018.03.023)
Reference: MS 4233



To appear in: *International Journal of Mechanical Sciences*

Received date: 20 September 2017
Revised date: 9 March 2018
Accepted date: 17 March 2018

Please cite this article as: Naoki Hosoya , Atsushi Yoshinaga , Atsushi Kanda , Itsuro Kajiwara , Non-contact and non-destructive Lamb wave generation using laser-induced plasma shock wave, *International Journal of Mechanical Sciences* (2018), doi: [10.1016/j.ijmecsci.2018.03.023](https://doi.org/10.1016/j.ijmecsci.2018.03.023)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlight

- Lamb waves are generated by laser-induced plasma shock wave.
- A non-contact and a non-destructive Lamb waves generation system is established.
- The generated Lamb waves have sufficient signal-to-noise ratios.
- This method can control the amplitude and the frequency components of the generated Lamb waves.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/7173817>

Download Persian Version:

<https://daneshyari.com/article/7173817>

[Daneshyari.com](https://daneshyari.com)