

Accepted Manuscript

Irreversible passive energy transfer of an immersed beam subjected to a sinusoidal flow via local nonlinear attachment

Ali Ebrahimi Mamaghani , Siamak Esmaeilzade Khadem ,
Saeed Bab , S. Mehrdad Pourkiaee

PII: S0020-7403(17)30349-1
DOI: [10.1016/j.ijmecsci.2018.02.032](https://doi.org/10.1016/j.ijmecsci.2018.02.032)
Reference: MS 4192



To appear in: *International Journal of Mechanical Sciences*

Received date: 10 February 2017
Revised date: 16 November 2017
Accepted date: 11 February 2018

Please cite this article as: Ali Ebrahimi Mamaghani , Siamak Esmaeilzade Khadem , Saeed Bab , S. Mehrdad Pourkiaee , Irreversible passive energy transfer of an immersed beam subjected to a sinusoidal flow via local nonlinear attachment, *International Journal of Mechanical Sciences* (2018), doi: [10.1016/j.ijmecsci.2018.02.032](https://doi.org/10.1016/j.ijmecsci.2018.02.032)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The nonlinear behaviors of a beam under a sinusoidal fluid flow with a nonlinear absorber are studied.
- The NES is located at various positions on the pipe conveying fluid.
- Numerical and analytical approaches are adopted to analyze the system.
- Middle of the beam is the best position for connecting the NES to the beam.
- Approaching the NES to the beam supports lowers the occurrence probability of the SMR, DRC and WMR.

Download English Version:

<https://daneshyari.com/en/article/7173853>

Download Persian Version:

<https://daneshyari.com/article/7173853>

[Daneshyari.com](https://daneshyari.com)