Accepted Manuscript

A threshold formula for fatigue crack growth with mean stress intensity factors

Xiaojing Cai, Ri Xia, Mingchen Huo, Jinquan Xu

 PII:
 S0020-7403(17)32128-8

 DOI:
 10.1016/j.ijmecsci.2017.12.014

 Reference:
 MS 4078

To appear in: International Journal of Mechanical Sciences

Received date:5 August 2017Revised date:29 November 2017Accepted date:7 December 2017

Please cite this article as: Xiaojing Cai, Ri Xia, Mingchen Huo, Jinquan Xu, A threshold formula for fatigue crack growth with mean stress intensity factors, *International Journal of Mechanical Sciences* (2017), doi: 10.1016/j.ijmecsci.2017.12.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- The variation of threshold with mean SIF is similar to that of fatigue limit with mean stress.
- The plastic damage at crack front would affect threshold greatly.
- A threshold formula with respect to mean SIF has been derived.
- A formula to estimate the critical mean stress intensity factor has been derived.

* Corresponding author.

E-mail address: jqxu@sjtu.edu.cn (J.-Q. Xu).

Download English Version:

https://daneshyari.com/en/article/7173987

Download Persian Version:

https://daneshyari.com/article/7173987

Daneshyari.com