Accepted Manuscript

Mechanical strength of wet particle agglomerates

Thanh-Trung Vo, Patrick Mutabaruka, Saeid Nezamabadi, Jean-Yves Delenne, Edouard Izard, Roland Pellenq, Farhang Radjai

 PII:
 S0093-6413(18)30121-6

 DOI:
 10.1016/j.mechrescom.2018.07.003

 Reference:
 MRC 3285

To appear in: Mechanics Research Communications

Received date:28 February 2018Revised date:20 May 2018Accepted date:2 July 2018

Please cite this article as: Thanh-Trung Vo, Patrick Mutabaruka, Saeid Nezamabadi, Jean-Yves Delenne, Roland Pelleng, Farhang Radjai, Edouard Izard, Mechanical strength Mechanics of wet particle agglomerates, Research Communications (2018),doi: 10.1016/j.mechrescom.2018.07.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



AUSCRI

Highlights

- Agglomerates of wet particles undergo plastic deformation before breaking.
- The plastic strength is proportional to the characteristic capillary stress.
- The effect of particle size span is mainly included in the characteristic stress.
- The amount of liquid affects the strength through the wet coordination number.

Download English Version:

https://daneshyari.com/en/article/7178729

Download Persian Version:

https://daneshyari.com/article/7178729

Daneshyari.com