

Accepted Manuscript

Bayesian inference with reliability methods without knowing the maximum of the likelihood function

Wolfgang Betz, James L. Beck, Iason Papaioannou, Daniel Straub

PII: S0266-8920(17)30190-X
DOI: <https://doi.org/10.1016/j.probengmech.2018.03.004>
Reference: PREM 2962

To appear in: *Probabilistic Engineering Mechanics*

Received date: 24 August 2017
Revised date: 25 January 2018
Accepted date: 29 March 2018

Please cite this article as: W. Betz, J.L. Beck, I. Papaioannou, D. Straub, Bayesian inference with reliability methods without knowing the maximum of the likelihood function, *Probabilistic Engineering Mechanics* (2018), <https://doi.org/10.1016/j.probengmech.2018.03.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Bayesian inference with reliability methods without knowing the maximum of the likelihood function

Wolfgang Betz^{a,*}, James L. Beck^b, Iason Papaioannou^a, Daniel Straub^a

^aEngineering Risk Analysis Group, Technische Universität München, 80333 München, Germany

^bDivision of Engineering and Applied Science, California Institute of Technology, Pasadena, CA 91125

Abstract

In the BUS (Bayesian Updating with Structural reliability methods) approach, the uncertain parameter space is augmented by a uniform random variable and the Bayesian inference problem is interpreted as a structural reliability problem. A posterior sample is given by an augmented vector sample within the failure domain of the structural reliability problem where the realization of the uniform random variable is smaller than the likelihood function scaled by a constant c . The constant c must be selected such that $1/c$ is larger or equal than the maximum of the likelihood function, which, however, is typically unknown a-priori. For BUS combined with sampling based reliability methods, choosing c too small has a negative impact on the computational efficiency. To overcome the problem of selecting c , we propose a post-processing step for BUS that returns an unbiased estimate for the evidence and samples from the posterior distribution, even if $1/c$ is selected smaller than the maximum of the likelihood function. The applicability of the proposed post-processing step is demonstrated by means of rejection sampling. However, it can be combined with any structural reliability method applied within the BUS framework.

Keywords: Bayesian updating, Bayesian model class selection, rejection sampling, structural reliability

*Corresponding author

Email addresses: wolfgang.betz@tum.de (Wolfgang Betz), jimbeck@caltech.edu (James L. Beck), iason.papaioannou@tum.de (Iason Papaioannou), straub@tum.de (Daniel Straub)

Download English Version:

<https://daneshyari.com/en/article/7180863>

Download Persian Version:

<https://daneshyari.com/article/7180863>

[Daneshyari.com](https://daneshyari.com)