



## Original

# A simplified approach to the multi-item economic production quantity model with scrap, rework, and multi-delivery

Y.-S.P. Chiu<sup>a</sup>, M.-F. Wu<sup>b</sup>, S.W. Chiu<sup>c,\*</sup>, H.-H. Chang<sup>d</sup>

<sup>a</sup>*Dept. of Industrial Engineering & Management, Chaoyang University of Technology, Taichung, Taiwan*

<sup>b</sup>*Dept. of Industrial Engineering & Systems Management, Feng Chia University, Taichung, Taiwan*

<sup>c</sup>*Dept. of Business Administration, Chaoyang University of Technology, Taichung, Taiwan*

<sup>d</sup>*Dept. of Finance, Chaoyang University of Technology, Taichung, Taiwan*

Received 7 October 2014; accepted 27 May 2015

## Abstract

In a recent paper, Chiu et al. (2014) utilized mathematical modeling and differential calculus to determine the common production cycle time that minimizes total production, inventory, and delivery costs for a multi-item economic production quantity (EPQ) model with scrap, rework, and multi-delivery. The present study proposes an algebraic approach substituting the use of differential calculus on the system cost function for deriving the optimal common cycle time in the aforementioned multi-item EPQ model. This simplified approach may enable managing practitioners to resolve real multi-item EPQ models more effectively.

All Rights Reserved © 2015 Universidad Nacional Autónoma de México, Centro de Ciencias Aplicadas y Desarrollo Tecnológico. This is an open access item distributed under the Creative Commons CC License BY-NC-ND 4.0.

**Keywords:** Economic production quantity model; Multi-item production; Optimization; Common cycle time; Scrap; Rework; Algebraic approach

## 1. Introduction

In this study, a multi-item economic production quantity (EPQ) model with scrap, rework, and multi-delivery is resolved using a simplified algebraic approach. In real-life production planning, maximizing production equipment utilization is always an important operating goal for manufacturing firms (Nahmias, 2009). Intending to accomplish this goal, production planners frequently propose fabricating multiple products sequentially using a single piece of production equipment (Bergstrom & Smith, 1970; Gaalman, 1978; Rosenblatt & Finger, 1983). Rosenblatt (1985) compared two policies for the joint replenishment problem, both with a general ordering cost function. A fixed-cycle policy was solved using a dynamic programming approach, resulting in partitioning the items into groups. The other basic-cycle policy used a heuristic approach to partition the items into only two groups. A simulation model was developed to compare the effectiveness of the two policies and the economic order quantity (EOQ) approach. Mitchell (1988) examined a problem of single-item service objectives in a multi-item inventory system subject to a system-wide service-level

constraint. A computationally efficient algorithm based on the Generalized Knapsack Duality algorithm was developed to find approximately optimal policies for such a system. The result indicates that operating costs can be reduced significantly by applying the proposed model rather than the simpler uniform service model often used in practice.

Sox and Muckstadt (1996) proposed a formulation and solution algorithm for the finite-horizon capacitated production planning problem with random demand for multiple products. They developed a sub-gradient optimization algorithm based on Lagrangian relaxation to solve the formulation, and provided some computational results indicating that this approach works well for rolling-horizon planning compared with the rolling-horizon performance of the corresponding optimal finite-horizon solution. Rizk et al. (2006) studied a multi-item dynamic production-distribution planning problem between a producer and a distribution center. They assumed that the cost of transportation between the manufacturing location and the distribution center offered economies of scale and could be represented by general piecewise linear functions. The production system of the producer is a serial process with a multiple parallel machines bottleneck stage and divergent finishing stages. A predetermined production sequence was maintained on the bottleneck machines. They proposed a tight mixed-integer pro-

\*Corresponding author.

E-mail address: [swang@cyut.edu.tw](mailto:swang@cyut.edu.tw) (S.W. Chiu).

gramming production model with three different formulations representing general piecewise linear functions. Hence, three equivalent mathematical programming models of the manufacturer-distributor flow planning problem were examined. Tests were performed to compare the computational efficiency of these models. Chiu et al. (2014) studied the optimal common production cycle policy for a multi-item EPQ model with scrap, rework, and multiple deliveries. They considered an imperfect production system wherein a portion of nonconforming items is scrap and the other portion can be reworked and repaired in the same production cycle. Their objective was to determine the optimal common production cycle time that minimizes the long-run average cost per unit time for the specific multi-item EPQ model. Mathematical modeling and analysis were used to solve the proposed model, and a closed-form optimal common cycle time for multi-item production planning was obtained. Practical usage of their research result was demonstrated by a numerical example.

Additional studies related to various aspects of imperfect production systems, multi-item production planning, and multi-delivery systems can be found elsewhere (Cedillo-Campos & Sánchez-Ramírez; 2013; Chiu, Y., et al., 2013a; Chiu, S., et al., 2013a; Acosta-Cano & Sastrón-Báguena, 2013; Chiu, Y., et al., 2014). Over a decade ago, Grubbström and Erdem (1999) proposed an algebraic approach to obtain EOQ for an inventory model with backlogging. Their algebraic derivation straightforwardly derived the optimal order quantity without reference to the first- or second-order derivatives. A few studies applied the same or similar methodologies to solve various aspects of EPQ models and vendor-buyer integrated supply chain systems (Lin et al., 2013; Chiu, S., et al., 2013b; Chiu, Y., et al., 2013b; Tseng et al., 2014; Wu et al., 2014). This study extends such an algebraic method to the multi-item EPQ model with scrap, rework, and multiple deliveries [1] and demonstrates that the optimal common replenishment cycle time can be derived without derivatives.




Fig. 1. The level of on-hand inventory of perfect quality items of product  $i$  in the proposed multi-item EPQ system using a common cycle policy [1].

## 2. Model Description and Algebraic Derivation

Reconsider the multi-item EPQ model with scrap, rework, and multiple deliveries, as examined in [1], wherein  $L$  products are manufactured in sequence on a single machine and all items produced are screened with inspection cost included in unit production cost  $C_i$ . To ease the comparison efforts for readers, this study employs the same notation used in [1]. In the manufacturing process of each product  $i$  (where  $i = 1, 2, \dots, L$ ), there is an  $x_i$  portion of defective items produced randomly at a rate  $d_i$ . Among the defective items, a  $\theta_i$  portion is considered to represent scrap items, and the other portion can be repaired at a rework rate of  $P_{2i}$ . The rework process starts immediately when the regular production process of each product  $i$  is completed in each cycle, with an additional unit rework cost  $C_{Ri}$  (see the rework time  $t_{2i}$  in Fig. 1).

Shortages are not allowed under normal operation; thus, the constant production rate  $P_{1i}$  for product  $i$  must satisfy  $(P_{1i} - d_i - \lambda_i) > 0$ , where  $\lambda_i$  is the demand rate for product  $i$  per year, and  $d_i = x_i P_{1i}$ . The level of on-hand inventory of defective items during uptime  $t_{1i}$  and the rework time  $t_{2i}$  is depicted in Figure 2. Additionally, a practical multi-delivery policy is adopted in the proposed systems to meet customers' demands. Under the specific delivery policy, finished goods for each product  $i$  can only be delivered to customers if the entire production lot is quality assured at the end of the rework process. Fixed quantity  $n$  installments of the finished batch are delivered at a fixed interval of time during delivery time  $t_{3i}$  (see Fig. 1).

Other notation used in the modeling and analysis of this study is listed as follows:

$T$  = common production cycle length, a decision variable.

$Q_i$  = production lot size per cycle for product  $i$ .

$C_{Si}$  = disposal cost per scrapped item.

$h_i$  = unit holding cost.

$K_i$  = production setup cost.

$h_{1i}$  = unit holding cost for each reworked item.

$K_{li}$  = fixed delivery cost per shipment for product  $i$ .

$C_{Ti}$  = unit shipping cost for product  $i$ .

$t_{1i}$  = production uptime for product  $i$  in the proposed EPQ model.




Fig. 2. The level of on-hand inventory of defective items of product  $i$  in the proposed multi-item EPQ system [1].

Download English Version:

<https://daneshyari.com/en/article/718105>

Download Persian Version:

<https://daneshyari.com/article/718105>

[Daneshyari.com](https://daneshyari.com)