Accepted Manuscript

Title: Role of scan strategies on thermal gradient and solidification rate in electron beam powder bed fusion

Authors: Y.S. Lee, M.M. Kirka, R.B. Dinwiddie, N. Raghavan, J. Turner, R.R. Dehoff, S.S. Babu

PII: S2214-8604(17)30243-9

DOI: https://doi.org/10.1016/j.addma.2018.04.038


Reference: ADDMA 365

To appear in:

Received date: 1-6-2017 Revised date: 18-4-2018 Accepted date: 28-4-2018

Please cite this article as: Lee YS, Kirka MM, Dinwiddie RB, Raghavan N, Turner J, Dehoff RR, Babu SS, Role of scan strategies on thermal gradient and solidification rate in electron beam powder bed fusion, *Additive Manufacturing* (2010), https://doi.org/10.1016/j.addma.2018.04.038

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Role of Scan Strategies on Thermal Gradient and Solidification Rate in Electron Beam Powder Bed Fusion

Y.S. Lee^{a, b}, M.M. Kirka^{a, b}, R.B. Dinwiddie^{a, b}, N. Raghavan^c, J. Turner^d, R.R. Dehoff^{a, b} and S.S. Babu^{a, c}

- a. Manufacturing Demonstration Facility, Oak Ridge National Laboratory, Knoxville, TN, USA
- b. Materials Science and Technology Division, Oak Ridge National Laboratory, Oak Ridge, TN, USA
- c. Department of Mechanical, Aerospace and Biomedical Engineering, University of Tennessee, Knoxville, TN, USA
- d. Computer Science and Mathematics Division, Oak Ridge National Laboratory, Oak Ridge, TN, USA

| ABSTRACT | 4 |
|--|----|
| 1. INTRODUCTION | 2 |
| 2. NUMERICAL AND EXPERIMENTAL SETUP | |
| 2.1. BEAM SPLITTING AND SCAN STRATEGIES | |
| 2.2. MODELING APPROACH | |
| 2.2.1. Governing Equation and Heat Source Model | 6 |
| 2.2.2. Boundary conditions | |
| 3. RESULTS AND DISCUSSION | 9 |
| 3.1. DERIVATION OF BOUNDARY CONDITIONS WITH IN-SITU MEASUREMENTS | |
| 3.2. SPATIAL-TEMPORAL MEASUREMENTS OF MELT POOL LOCATIONS | 10 |
| 3.3. LOCAL VARIATIONS OF MELT POOL, THERMAL GRADIENT AND SOLIDIFICATION RATE | 12 |
| 3.4. CYCLIC SEQUENCES OF SOLIDIFICATION AND REMELTING | 16 |
| 3.5. COMPARISON OF BEAM SCANNING STRATEGIES AND SIGNIFICANCE | 17 |
| 4. SUMMARY | 18 |
| 5. ACKNOWLEDGEMENTS | 19 |
| 6 REFERENCES | 10 |

Notice of Copyright. This manuscript has been authored by UT-Battelle, LLC under Contract No. DE-AC05-000R22725 with the U.S. Department of Energy. The United States Government retains and the publisher, by accepting the article for publication, acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this manuscript, or allow others to do so, for United States Government purposes. The Department of Energy will provide public access to these results of federally sponsored research in accordance with the DOE Public Access Plan (http://energy.gov/downloads/doe-public-access-plan).

Download English Version:

https://daneshyari.com/en/article/7205781

Download Persian Version:

https://daneshyari.com/article/7205781

<u>Daneshyari.com</u>