


Accepted Manuscript

Title: A thermal-mechanical finite element workflow for directed energy deposition additive manufacturing process modeling

Authors: Michael E. Stender, Lauren L. Beghini, Joshua D. Sugar, Michael G. Veilleux, Samuel R. Subia, Thale R. Smith, Christopher W. San Marchi, Arthur A. Brown, Daryl J. Dagel



PII: S2214-8604(18)30124-6
DOI: <https://doi.org/10.1016/j.addma.2018.04.012>
Reference: ADDMA 339

To appear in:

Received date: 1-3-2018
Revised date: 6-4-2018
Accepted date: 8-4-2018

Please cite this article as: Stender ME, Beghini LL, Sugar JD, Veilleux MG, Subia SR, Smith TR, Marchi CWS, Brown AA, Dagel DJ, A thermal-mechanical finite element workflow for directed energy deposition additive manufacturing process modeling, *Additive Manufacturing* (2018), <https://doi.org/10.1016/j.addma.2018.04.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A Thermal-Mechanical Finite Element Workflow for Directed Energy Deposition Additive Manufacturing Process Modeling

Michael E. Stender^{1*}, Lauren L. Beghini¹, Joshua D. Sugar¹, Michael G. Veilleux¹, Samuel R. Subia², Thale R. Smith³, Christopher W. San Marchi¹, Arthur A. Brown¹, Daryl J. Dagle²

¹Sandia National Laboratories, Livermore, CA 94550

²Sandia National Laboratories, Albuquerque, NM 87123

³Materials Science Engineering Department, University of California, Davis, Davis, CA 95616

*Corresponding author

Abstract

This work proposes a finite element (FE) analysis workflow to simulate directed energy deposition (DED) additive manufacturing at a macroscopic length scale (*i.e.* part length scale) and to predict thermal conditions during manufacturing, as well as distortions, strength and residual stresses at the completion of manufacturing. The proposed analysis method incorporates a multi-step FE workflow to elucidate the thermal and mechanical responses in laser engineered net shaping (LENS) manufacturing. For each time step, a thermal element activation scheme captures the material deposition process. Then, activated elements and their associated geometry are analyzed first thermally for heat flow due to radiation, convection, and conduction, and then mechanically for the resulting stresses, displacements, and material property evolution. Simulations agree with experimentally measured *in situ* thermal measurements for simple cylindrical build geometries, as well as general trends of local hardness distribution and plastic strain accumulation (represented by relative distribution of geometrically necessary dislocations).

Keywords: additive manufacturing; directed energy deposition; residual stress; finite element analysis.

Introduction

Download English Version:

<https://daneshyari.com/en/article/7205936>

Download Persian Version:

<https://daneshyari.com/article/7205936>

[Daneshyari.com](https://daneshyari.com)