

Author's Accepted Manuscript

Study on biocompatibility, tribological property and wear debris characterization of ultra-low-wear polyethylene as artificial joint materials

Yan-Yan Bian, Lei Zhou, Gang Zhou, Zhong-Min Jin, Shi-Xuan Xin, Zi-Kai Hua, Xi-Sheng Weng



PII: S1751-6161(18)30277-7
DOI: <https://doi.org/10.1016/j.jmbbm.2018.03.009>
Reference: JMBBM2718

To appear in: *Journal of the Mechanical Behavior of Biomedical Materials*

Received date: 20 October 2017
Revised date: 27 February 2018
Accepted date: 5 March 2018

Cite this article as: Yan-Yan Bian, Lei Zhou, Gang Zhou, Zhong-Min Jin, Shi-Xuan Xin, Zi-Kai Hua and Xi-Sheng Weng, Study on biocompatibility, tribological property and wear debris characterization of ultra-low-wear polyethylene as artificial joint materials, *Journal of the Mechanical Behavior of Biomedical Materials*, <https://doi.org/10.1016/j.jmbbm.2018.03.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: Study on biocompatibility, tribological property and wear debris characterization of ultra-low-wear polyethylene as artificial joint materials

Yan-Yan Bian^{1‡}, Lei Zhou^{1‡}, Gang Zhou², Zhong-Min Jin³, Shi-Xuan Xin⁴, Zi-Kai Hua⁵, Xi-Sheng Weng^{1,*}

1 Department of Orthopedics, Peking Union Medical College Hospital, Chinese Academy of Medical Sciences & Peking Union Medical College, Beijing 100730, China.

2 Key Laboratory for Biomechanics and Mechanobiology of the Ministry of Education, School of Biological Sciences and Medical Engineering, Beihang University.

3 School of Mechanical Engineering, Xian Jiaotong University, China and School of Mechanical Engineering, University of Leeds, UK.

4 PetroChina Petrochemical Research Institute, PetroChina Synthetic Resin key Laboratory, Beijing 100195, China.

5 School of Mechatronics Engineering and Automation, Shanghai University, China.

‡ The first two authors contributed equally to this work.

Address correspondence and reprint requests to:

* Corresponding author: Xi-Sheng Weng. Address: Peking Union Medical College Hospital, Chinese Academy of Medical Sciences & Peking Union Medical College, Beijing 100730, China. Phone: +86-10-010-69152810. Fax: +86-10-010-69152809. E-mail: xshweng@medmail.com.cn

All the authors listed have read through the manuscript, approved for publication and declared no conflict of interest.

Download English Version:

<https://daneshyari.com/en/article/7207041>

Download Persian Version:

<https://daneshyari.com/article/7207041>

[Daneshyari.com](https://daneshyari.com)