

Hybrid micro/nanostructural surface offering improved stress distribution and enhanced osseointegration properties of the biomedical titanium implant

Ping-Jen Hou, Hsin-Hua Chou, Chin-Chieh Wang, Chiung-Fang Huang, Erwan Sugiatno, Tzu-Sen Yang, Keng-Liang Ou



PII: S1751-6161(17)30529-5
DOI: <https://doi.org/10.1016/j.jmbbm.2017.11.042>
Reference: JMBBM2599

To appear in: *Journal of the Mechanical Behavior of Biomedical Materials*

Received date: 26 June 2017
Revised date: 9 November 2017
Accepted date: 25 November 2017

Cite this article as: Ping-Jen Hou, Hsin-Hua Chou, Chin-Chieh Wang, Chiung-Fang Huang, Erwan Sugiatno, Tzu-Sen Yang and Keng-Liang Ou, Hybrid micro/nanostructural surface offering improved stress distribution and enhanced osseointegration properties of the biomedical titanium implant, *Journal of the Mechanical Behavior of Biomedical Materials*, <https://doi.org/10.1016/j.jmbbm.2017.11.042>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Hybrid micro/nanostructural surface offering improved stress distribution and enhanced osseointegration properties of the biomedical titanium implant

Ping-Jen Hou^a, Hsin-Hua Chou^{b,c}, Chin-Chieh Wang^b, Chiung-Fang Huang^{d,e}, Erwan Sugiatno^f, Tzu-Sen Yang^{a,g,h*} and Keng-Liang Ou^{e,i,j,k**}

^aGraduate Institute of Biomedical Materials and Tissue Engineering, College of Biomedical Engineering, Taipei Medical University, Taipei 110, Taiwan

^bSchool of Dentistry, College of Oral Medicine, Taipei Medical University, Taipei 110, Taiwan

^cDepartment of Dentistry, Taipei Medical University-Wan Fang Hospital, Taipei 116, Taiwan

^dSchool of Dental Technology, Taipei Medical University, Taipei 110, Taiwan

^eDepartment of Dentistry, Taipei Medical University Hospital, Taipei 110, Taiwan

^fDepartment of Prosthodontic, Faculty of Dentistry, Universitas Gadjah Mada, Yogyakarta, Indonesia

^gSchool of Biomedical Engineering, College of Oral Medicine, Taipei Medical University, Taipei 110, Taiwan

^hGraduate Institute of Nanomedicine and Medical Engineering, Taipei Medical University, Taipei 110, Taiwan

ⁱDepartment of Dentistry, Taipei Medical University-Shuang Ho Hospital, New Taipei City 235, Taiwan

^jDepartment of Dentistry, Cathay General Hospital, Taipei 106, Taiwan

^k3D Global Biotech Inc., New Taipei City 221, Taiwan

*Corresponding author: Tzu-Sen Yang

E-mail: tsyang@tmu.edu.tw

Tel: 886-2-27361661 ext. 5206

Fax: 886-2-27395524

**Co-Corresponding author: Keng-Liang Ou

E-mail: klouyu@gmail.com

Tel: 886-2-26971270 ext. 100

Fax: 886-2-26971272

Download English Version:

<https://daneshyari.com/en/article/7207228>

Download Persian Version:

<https://daneshyari.com/article/7207228>

[Daneshyari.com](https://daneshyari.com)