Author's Accepted Manuscript

An exploration of plastic deformation dependence of cell viability and adhesion in metallic implant materials

B. Uzer, S.M. Toker, A. Cingoz, T. Bagci-Onder, G. Gerstein, H.J Maier, D. Canadinc



 PII:
 S1751-6161(16)00004-7

 DOI:
 http://dx.doi.org/10.1016/j.jmbbm.2016.01.001

 Reference:
 JMBBM1762

To appear in: Journal of the Mechanical Behavior of Biomedical Materials

Received date: 12 November 2015 Revised date: 27 December 2015 Accepted date: 4 January 2016

Cite this article as: B. Uzer, S.M. Toker, A. Cingoz, T. Bagci-Onder, G. Gerstein, H.J Maier and D. Canadinc, An exploration of plastic deformation dependence of cell viability and adhesion in metallic implant materials, *Journa of the Mechanical Behavior of Biomedical Materials* http://dx.doi.org/10.1016/j.jmbbm.2016.01.001

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

An exploration of plastic deformation dependence of cell viability and adhesion in

metallic implant materials

B. Uzer¹, S.M. Toker^{1,2}, A. Cingoz³, T. Bagci-Onder³, G. Gerstein⁴, H.J Maier⁴, D.

Canadinc^{1,5,*}

 ¹Koç University, Advanced Materials Group (AMG), Department of Mechanical Engineering, Sarıyer, 34450 İstanbul, Turkey
 ²California Polytechnic State University, Materials Engineering Department, San Luis Obispo, CA 93407 USA
 ³Koç University, School of Medicine, Sarıyer, 34450 İstanbul, Turkey
 ⁴Leibniz Universität Hannover, Institut für Werkstoffkunde (Materials Science), An der Universität 2, 30823 Garbsen, Germany
 ⁵Koç University Surface Science and Technology Center (KUYTAM), Sarıyer, 34450 İstanbul, Turkey

Abstract

The relationship between cell viability and adhesion behavior, and micro-deformation mechanisms was investigated on austenitic 316L stainless steel samples, which were subjected to different amounts of plastic strains (5%, 15%, 25%, 35% and 60%) to promote a variety in the slip and twin activities in the microstructure. Confocal laser scanning microscopy (CLSM) and field emission scanning electron microscopy (FESEM) revealed that cells most favored the samples with the largest plastic deformation, such that they spread more and formed significant filopodial extensions. Specifically, brain tumor cells seeded on the 35% deformed samples exhibited the best adhesion performance, where a significant slip activity was prevalent, accompanied by considerable slip-twin interactions. Furthermore, maximum viability was exhibited by the cells seeded on the 60% deformed samples, which were particularly designed in a specific geometry that could endure greater strain values. Overall, the current findings open a new venue for the production of metallic implants with enhanced biocompatibility, such that the adhesion and viability of the cells surrounding an implant can be optimized by tailoring the surface relief of the material, which is dictated by

^{*} Corresponding author. Email: dcanadinc@ku.edu.tr Phone: +90 212 338 1891 Fax: +90212 338 1548.

Download English Version:

https://daneshyari.com/en/article/7207965

Download Persian Version:

https://daneshyari.com/article/7207965

Daneshyari.com