

Author's Accepted Manuscript

Comparison of four monolithic zirconia materials with conventional ones: contrast ratio, grain size, four-point flexural strength and two-body wear

Bogna Stawarczyk, Kathrin Frevert, Andreas Ender, Malgorzata Roos, Beatrice Sener, Timea Wimmer



PII: S1751-6161(15)00475-0
DOI: <http://dx.doi.org/10.1016/j.jmbbm.2015.11.040>
Reference: JMBBM1717

To appear in: *Journal of the Mechanical Behavior of Biomedical Materials*

Received date: 24 September 2015
Revised date: 17 November 2015
Accepted date: 23 November 2015

Cite this article as: Bogna Stawarczyk, Kathrin Frevert, Andreas Ender, Malgorzata Roos, Beatrice Sener and Timea Wimmer, Comparison of four monolithic zirconia materials with conventional ones: contrast ratio, grain size, four-point flexural strength and two-body wear, *Journal of the Mechanical Behavior of Biomedical Materials*
<http://dx.doi.org/10.1016/j.jmbbm.2015.11.040>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Comparison of four monolithic zirconia materials with conventional ones:
contrast ratio, grain size, four-point flexural strength and two-body wear**

Short title: Properties of monolithic zirconia materials

Bogna Stawarczyk¹, Kathrin Frevert¹, Andreas Ender², Malgorzata Roos³, Beatrice Sener², Timea Wimmer¹

¹Department of Prosthodontics, Dental School, Ludwig-Maximilians-University of Munich.

²Clinic of Preventive Dentistry, Periodontology and Cariology, Center of Dental Medicine, University of Zurich

³Department of Biostatistics, Epidemiology, Biostatistics and Prevention Institute, University of Zurich.

Keywords: monolithic zirconia, contrast ratio, grain size, flexural strength, two-body wear

Corresponding Author:

PD Dr. Dipl. Ing. (FH) Bogna Stawarczyk; MSc

Ludwig-Maximilians-University Munich

Goethestrasse 70, Munich 80336 GERMANY

Tel: 0049 (89) 4400 57573

E-mail: bogna.stawarczyk@med.uni-muenchen.de

Download English Version:

<https://daneshyari.com/en/article/7208054>

Download Persian Version:

<https://daneshyari.com/article/7208054>

[Daneshyari.com](https://daneshyari.com)