Accepted Manuscript

High-frequency linear friction welding of aluminum alloys

Hideo Mogami, Tomoki Matsuda, Tomokazu Sano, Ryo Yoshida, Hisashi Hori, Akio Hirose

PII: S0264-1275(17)31074-2

DOI: doi:10.1016/j.matdes.2017.11.043

Reference: JMADE 3520

To appear in: Materials & Design

Received date: 25 August 2017 Revised date: 19 October 2017 Accepted date: 19 November 2017



Please cite this article as: Hideo Mogami, Tomoki Matsuda, Tomokazu Sano, Ryo Yoshida, Hisashi Hori, Akio Hirose, High-frequency linear friction welding of aluminum alloys. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Jmade(2017), doi:10.1016/j.matdes.2017.11.043

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

High-Frequency Linear Friction Welding of Aluminum alloys

Hideo Mogami^a, Tomoki Matsuda^{a,*}, Tomokazu Sano^a, Ryo Yoshida^b, Hisashi Hori^b, and Akio Hirose^{a,*}

^aDivision of Materials and Manufacturing Science, Graduate School of Engineering, Osaka University, 2-1 Yamada-oka, Suita, Osaka 565-0871, Japan

^bNippon Light Metal Company, Ltd., 1-34-1 Kanbara, Shimizu, Shizuoka 4213203, Japan

*Corresponding author

1. Tomoki Matsuda

Email: t-matsu@mapse.eng.osaka-u.ac.jp

Phone: +81-6-6879-7538

Fax: +81-6-6879-7570

2. Akio Hirose

Email: hirose@mapse.eng.osaka-u.ac.jp

Phone: +81-6-6879-7539

Fax: +81-6-6879-7570

Download English Version:

https://daneshyari.com/en/article/7217596

Download Persian Version:

https://daneshyari.com/article/7217596

<u>Daneshyari.com</u>