

Accepted Manuscript

3D-printed bioabsorbable polycaprolactone stent: The effect of process parameters on its physical features

Antonio J. Guerra, Joaquim Ciurana



PII: S0264-1275(17)30972-3
DOI: [doi:10.1016/j.matdes.2017.10.045](https://doi.org/10.1016/j.matdes.2017.10.045)
Reference: JMADE 3443
To appear in: *Materials & Design*
Received date: 10 June 2017
Revised date: 11 October 2017
Accepted date: 14 October 2017

Please cite this article as: Antonio J. Guerra, Joaquim Ciurana , 3D-printed bioabsorbable polycaprolactone stent: The effect of process parameters on its physical features. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Jmade*(2017), doi:[10.1016/j.matdes.2017.10.045](https://doi.org/10.1016/j.matdes.2017.10.045)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**3D-PRINTED BIOABSORBABLE POLYCAPROLACTONE
STENT: THE EFFECT OF PROCESS PARAMETERS ON ITS
PHYSICAL FEATURES**

Antonio J Guerra

Department of Mechanical engineering and civil construction

Universitat de Girona

Maria Aurèlia Capmany, 61

17003 Girona, SPAIN

antonio.guerra@udg.edu

Joaquim Ciurana¹

Department of Mechanical engineering and civil construction

Universitat de Girona

Maria Aurèlia Capmany, 61

17003 Girona, SPAIN

quim.ciurana@udg.edu

Joaquim.ciurana@gmail.com

¹ Corresponding author, Tel: +34 972 418265, Fax: +34 972 418098

Download English Version:

<https://daneshyari.com/en/article/7217656>

Download Persian Version:

<https://daneshyari.com/article/7217656>

[Daneshyari.com](https://daneshyari.com)