Accepted Manuscript

Tuning the wetting properties of siloxane-nanoparticle coatings to induce superhydrophobicity and superoleophobicity for stone protection

Dimitra Aslanidou, Ioannis Karapanagiotis, Costas Panayiotou

PII:	S0264-1275(16)30905-4
DOI:	doi: 10.1016/j.matdes.2016.07.014
Reference:	JMADE 2018



To appear in:

Received date:15 April 2016Revised date:17 June 2016Accepted date:5 July 2016

Please cite this article as: Dimitra Aslanidou, Ioannis Karapanagiotis, Costas Panayiotou, Tuning the wetting properties of siloxane-nanoparticle coatings to induce superhydrophobicity and superoleophobicity for stone protection, (2016), doi: 10.1016/j.matdes.2016.07.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Tuning the wetting properties of siloxane-nanoparticle coatings to induce

superhydrophobicity and superoleophobicity for stone protection

Dimitra Aslanidou¹, Ioannis Karapanagiotis^{2*} and Costas Panayiotou¹

¹Aristotle University of Thessaloniki, Department of Chemical Engineering, Thessaloniki 54124,

Greece

²University Ecclesiastical Academy of Thessaloniki, Department of Management and Conservation

of Ecclesiastical Cultural Heritage Objects, Thessaloniki 54250, Greece

*Corresponding author:

Ioannis Karapanagiotis, Associate Professor

University Ecclesiastical Academy of Thessaloniki

N. Plastira 65, 542 50 Thessaloniki, Greece

Tel: +30 2310 301784; Fax: +30 2310 300360

E-mail: <u>y.karapanagiotis@aeath.gr</u>

Download English Version:

https://daneshyari.com/en/article/7218125

Download Persian Version:

https://daneshyari.com/article/7218125

Daneshyari.com