


Author's Accepted Manuscript

Aptamer selection by direct microfluidic recovery and surface plasmon resonance evaluation

Eric Dausse, Aurélien Barré, Ahissan Aimé, Alexis Groppi, Alain Rico, Chrysanthi Ainali, Gilmar Salgado, William Palau, Emilie Daguerre, Macha Nikolski, Jean-Jacques Toulmé, Carmelo Di Primo



PII: S0956-5663(16)30112-9
DOI: <http://dx.doi.org/10.1016/j.bios.2016.02.003>
Reference: BIOS8435

To appear in: *Biosensors and Bioelectronic*

Received date: 18 November 2015
Revised date: 19 January 2016
Accepted date: 2 February 2016

Cite this article as: Eric Dausse, Aurélien Barré, Ahissan Aimé, Alexis Groppi, Alain Rico, Chrysanthi Ainali, Gilmar Salgado, William Palau, Emilie Daguerre, Macha Nikolski, Jean-Jacques Toulmé and Carmelo Di Primo, Aptamer selection by direct microfluidic recovery and surface plasmon resonance evaluation, *Biosensors and Bioelectronic* <http://dx.doi.org/10.1016/j.bios.2016.02.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Aptamer selection by direct microfluidic recovery and
surface plasmon resonance evaluation

Eric Dausse^{1,2}, Aurélien Barré³, Ahissan Aimé^{1,2}, Alexis Groppi³, Alain Rico⁴,
Chrysanthi Ainali⁴, Gilmar Salgado^{1,2}, William Palau^{1,2}, Emilie Daguerre⁵, Macha Nikolski³,
Jean-Jacques Toulmé^{1,2} & Carmelo Di Primo^{1,2*}

1. University of Bordeaux, laboratoire ARNA, Bordeaux, F-33000, France.
2. INSERM U1212 - CNRS UMR 5320, IECB, Pessac, F-33600, France.
3. University of Bordeaux, CBiB - LaBRI, Bordeaux, F-33000, France.
4. Thermo Fisher Scientific, Saint Aubin, F-91190, France.
5. Novaptech, Bordeaux, F-33000, France

*To whom correspondence should be addressed. Tel: +33540003046; Fax: +33540003068; Email:
carmelo.diprimo@inserm.fr

Download English Version:

<https://daneshyari.com/en/article/7230863>

Download Persian Version:

<https://daneshyari.com/article/7230863>

[Daneshyari.com](https://daneshyari.com)